

Event: Cooper Tires Indy Pro 2000 GP of Mid-Ohio

Round 10 / 11

Track: Mid-Ohio Sports Car Course

2.258 mile(s)



Report: Section Data Report

Indy Pro 2000 Championship

Session: Race 1

July 27, 2019

Section Data for Car 10 - Lindh, Rasmus (R)

Lap	T/SF to I1	I1 to I2A	I2A to I2	I2 to I3A	I3A to I3	I3 to I4	I4 to I5A	I5A to I5B	I5B to I5	I5 to I6A	I6A to I6	I6 to I7A	I7A to I7	I7 to I8	I8 to SF	
1	T	5.3833	7.8590	6.4397	10.1407	9.0639	3.5611	8.6488	5.4240	5.1611	5.6833	7.9427	7.2766	11.6587	8.1765	7.8961
	S	95.751	101.939	89.466	61.117	106.817	107.602	80.962	70.771	66.186	89.737	69.875	52.285	45.849	50.533	56.558
2	T	5.1173	7.3197	4.5813	8.3333	7.7583	2.6175	6.9394	5.2734	4.3710	4.9967	6.2316	3.2832	4.9840	5.2647	4.6141
	S	100.728	109.449	125.758	74.373	124.793	146.392	100.906	72.792	78.149	102.067	89.062	115.879	107.252	78.482	96.788
3	T	4.2596	6.8691	4.4767	7.9287	7.7447	2.6196	6.7000	5.2332	4.2722	4.9797	6.6324	4.9728	8.8019	7.0537	7.3191
	S	121.010	116.629	128.697	78.168	125.012	146.275	104.512	73.352	79.957	102.416	83.680	76.507	60.731	58.577	61.017
4	T	7.2450	9.8241	10.9768	15.3524	16.2481	6.6937	14.6330	7.4274	7.3292	9.2356	10.8789	7.5309	11.0219	8.3863	7.3228
	S	71.146	81.548	52.487	40.370	59.587	57.245	47.853	51.682	46.607	55.221	51.016	50.519	48.498	49.269	60.986
5	T	10.0521	14.6119	10.3049	12.6837	17.8661	7.9049	14.2543	8.6585	5.2541	9.6632	10.0571	6.7646	10.8099	7.4351	7.4522
	S	51.278	54.828	55.909	48.864	54.191	48.474	49.124	44.334	65.014	52.778	55.185	56.242	49.450	55.572	59.927
6	T	10.7180	14.1590	9.6849	11.8568	16.0190	6.8941	12.7918	6.7050	6.5593	9.2299	9.0858	6.8325	9.8455	7.0413	4.5679
	S	48.092	56.581	59.488	52.272	60.440	55.581	54.740	57.250	52.077	55.255	61.084	55.683	54.293	58.680	97.767
7	T	4.2710	7.1856	4.5102	8.1233	7.7072	2.6037	7.1567	5.2262	4.5744	5.0314	6.2272	3.2405	5.4199	5.4958	4.5829
	S	120.687	111.492	127.741	76.296	125.620	147.168	97.842	73.450	74.674	101.363	89.125	117.406	98.626	75.181	97.447
8	T	4.2676	7.0680	4.5525	8.0666	7.6918	2.5948	6.7297	5.1872	4.2876	4.9384	6.1220	3.2416	5.0765	5.3792	4.5514
	S	120.783	113.347	126.554	76.832	125.872	147.673	104.050	74.002	79.669	103.272	90.657	117.366	105.298	76.811	98.122
9	T	4.2565	6.8406	4.4445	7.9630	7.6577	2.5844	6.6729	5.1218	4.2550	4.9421	6.1202	3.2377	5.0807	5.4763	4.5128
	S	121.098	117.115	129.629	77.832	126.432	148.267	104.936	74.947	80.280	103.195	90.683	117.508	105.211	75.449	98.961
10	T	4.2075	6.8878	4.4423	7.9222	7.6335	2.5739	6.7220	5.0438	4.2178	4.9023	6.1320	3.2340	4.9249	5.4335	4.4971
	S	122.509	116.312	129.693	78.232	126.833	148.872	104.169	76.106	80.988	104.033	90.509	117.642	108.539	76.043	99.306
11	T	4.2003	6.7236	4.3841	7.8894	7.6174	2.5807	6.7097	5.0108	4.2243	4.9041	6.1360	3.2479	4.9309	5.3335	4.5490
	S	122.719	119.153	131.415	78.558	127.101	148.480	104.360	76.607	80.863	103.995	90.450	117.139	108.407	77.469	98.173
12	T	4.2193	6.7392	4.4009	7.9094	7.6054	2.5713	6.6611	5.0251	4.2740	4.9398	6.0454	3.2125	4.8677	5.2801	4.5431
	S	122.166	118.877	130.913	78.359	127.302	149.023	105.122	76.389	79.923	103.243	91.805	118.429	109.815	78.253	98.301
13	T	4.2138	6.7462	4.3994	8.0410	7.6427	2.5856	7.1820	5.1919	4.3865	4.9510	6.0231	3.2065	4.9257	5.1844	4.4946
	S	122.325	118.754	130.958	77.077	126.681	148.198	97.498	73.935	77.873	103.009	92.145	118.651	108.522	79.697	99.362
14	T	4.1853	6.6962	4.4101	7.8972	7.6734	2.5951	6.5357	4.9975	4.2546	4.9033	6.0416	3.1997	5.0751	5.3575	4.5847
	S	123.158	119.640	130.640	78.480	126.174	147.656	107.139	76.811	80.287	104.012	91.863	118.903	105.327	77.122	97.409
15	T	4.2008	6.7073	4.3640	8.0219	7.6205	2.5678	6.5535	5.0373	4.2030	4.8908	6.0357	3.2108	4.8184	5.3221	4.5133
	S	122.704	119.442	132.020	77.260	127.050	149.226	106.848	76.204	81.273	104.277	91.953	118.492	110.938	77.635	98.950
16	T	4.1753	6.6192	4.3321	7.9831	7.5733	2.5318	6.9217	5.1248	4.3191	4.9286	5.9757	3.1830	4.8275	5.2263	4.5244
	S	123.453	121.032	132.992	77.636	127.841	151.348	101.164	74.903	79.088	103.478	92.876	119.527	110.729	79.058	98.707
17	T	4.1837	6.6469	4.3723	7.8662	7.6371	2.5738	6.4763	4.9686	4.1899	4.8794	5.9658	3.1888	4.8239	5.1972	4.5026
	S	123.205	120.528	131.770	78.789	126.773	148.878	108.122	77.258	81.527	104.521	93.030	119.310	110.812	79.501	99.185
18	T	4.1654	6.6986	4.3851	7.9025	7.6595	2.5899	6.4791	5.0157	4.1527	4.8358	5.9528	3.1928	4.8101	5.2702	4.5076
	S	123.747	119.598	131.385	78.427	126.403	147.952	108.075	76.532	82.258	105.463	93.233	119.160	111.130	78.400	99.075
19	T	4.1740	6.5968	4.3221	7.8589	7.6081	2.5825	6.5712	5.0048	4.1432	4.9242	5.9583	3.1903	4.8732	5.2152	4.4906
	S	123.492	121.443	133.300	78.863	127.257	148.376	106.560	76.699	82.446	103.570	93.147	119.254	109.691	79.226	99.450

Event: Cooper Tires Indy Pro 2000 GP of Mid-Ohio

Round 10 / 11

Track: Mid-Ohio Sports Car Course

2.258 mile(s)



Report: Section Data Report

Indy Pro 2000 Championship

Session: Race 1

July 27, 2019

Section Data for Car 10 - Lindh, Rasmus (R)

Lap	T/S Lap	PO to SF
1	T 110.3155	138.5534
	S 73.687	54.953
2	T 81.6855	
	S 99.513	
3	T 89.8634	
	S 90.457	
4	T 150.1061	
	S 54.154	
5	T 153.7726	
	S 52.862	
6	T 141.9908	
	S 57.249	
7	T 81.3560	
	S 99.916	
8	T 79.7549	
	S 101.922	
9	T 79.1662	
	S 102.680	
10	T 78.7746	
	S 103.191	
11	T 78.4417	
	S 103.629	
12	T 78.2943	
	S 103.824	
13	T 79.1744	
	S 102.670	
14	T 78.4070	
	S 103.674	
15	T 78.0672	
	S 104.126	
16	T 78.2459	
	S 103.888	
17	T 77.4725	
	S 104.925	
18	T 77.6178	
	S 104.729	
19	T 77.5134	
	S 104.870	

Event: Cooper Tires Indy Pro 2000 GP of Mid-Ohio

Round 10 / 11

Track: Mid-Ohio Sports Car Course

2.258 mile(s)



Report: Section Data Report

Indy Pro 2000 Championship

Session: Race 1

July 27, 2019

Section Data for Car 10 - Lindh, Rasmus (R)

Lap	T/SF to I1	I1 to I2A	I2A to I2	I2 to I3A	I3A to I3	I3 to I4	I4 to I5A	I5A to I5B	I5B to I5	I5 to I6A	I6A to I6	I6 to I7A	I7A to I7	I7 to I8	I8 to SF	
20	T	4.1624	6.7282	4.4027	7.8281	7.6094	2.5742	6.5507	5.0076	4.1097	4.8289	5.9982	3.2002	4.8353	5.2567	4.4752
	S	123.836	119.071	130.860	79.173	127.235	148.855	106.894	76.656	83.118	105.614	92.528	118.885	110.551	78.601	99.792
21	T	4.9836	7.3634	4.6861	9.2170	11.9196	3.9427	9.0103	5.5454	4.5158	5.1623	6.2810	3.2855	5.4342	5.9917	4.7771
	S	103.430	108.800	122.946	67.242	81.226	97.188	77.714	69.222	75.643	98.793	88.362	115.798	98.367	68.959	93.486
22	T	5.7497	12.4429	12.0631	13.0947	18.3036	5.6856	12.8448	7.3742	6.3864	9.3090	9.5965	6.4778	10.2419	7.1172	4.5866
	S	89.649	64.385	47.760	47.330	52.896	67.395	54.514	52.055	53.487	54.786	57.834	58.732	52.192	58.054	97.369
23	T	4.2468	7.0437	4.4266	8.0472	7.6194	2.5458	7.0456	5.2518	4.4912	5.0038	6.0993	3.2396	4.9124	5.2978	4.5356
	S	121.375	113.738	130.153	77.017	127.068	150.515	99.385	73.092	76.058	101.923	90.994	117.439	108.816	77.991	98.463
24	T	4.2247	6.7003	4.4170	7.8501	7.6745	2.6052	6.5646	5.1082	4.3484	4.9736	6.1362	3.2562	4.8846	5.2779	4.4889
	S	122.010	119.567	130.436	78.951	126.156	147.083	106.667	75.147	78.556	102.541	90.447	116.840	109.435	78.285	99.488
25	T	4.2170	6.7191	4.4167	7.8267	7.6565	2.6031	6.5401	5.0298	4.1794	4.8686	6.0430	3.2158	4.7562	5.3285	4.5471
	S	122.233	119.233	130.445	79.187	126.452	147.202	107.067	76.318	81.732	104.753	91.842	118.308	112.389	77.542	98.214
26	T	4.3717	7.7866	5.2631	8.9576											
	S	117.907	102.887	109.467	69.190											

**Event:** Cooper Tires Indy Pro 2000 GP of Mid-Ohio

**Round 10 / 11**

**Track:** Mid-Ohio Sports Car Course

**2.258 mile(s)**

**Report:** Section Data Report

**Indy Pro 2000 Championship**

**Session:** Race 1

**July 27, 2019**



**Section Data for Car 10 - Lindh, Rasmus (R)**

Lap	T/SLap	PO to SF
20	T	77.5675
	S	104.796
21	T	92.1157
	S	88.246
22	T	141.2740
	S	57.539
23	T	79.8066
	S	101.856
24	T	78.5104
	S	103.538
25	T	77.9476
	S	104.285
26	T	
	S	

Event: Cooper Tires Indy Pro 2000 GP of Mid-Ohio

Round 10 / 11

Track: Mid-Ohio Sports Car Course

2.258 mile(s)



Report: Section Data Report

Indy Pro 2000 Championship

Session: Race 1

July 27, 2019

Section Data for Car 11 - Serravalle, Antonio

Lap	T/SF to I1	I1 to I2A	I2A to I2	I2 to I3A	I3A to I3	I3 to I4	I4 to I5A	I5A to I5B	I5B to I5	I5 to I6A	I6A to I6	I6 to I7A	I7A to I7	I7 to I8	I8 to SF	
1	T	6.6328	9.5796	8.1080	9.9304	13.6563	5.4295	8.5325	5.3129	4.6634	5.1115	6.4357	3.4954	9.0648	7.2963	6.8174
	S	77.713	83.629	71.058	62.412	70.896	70.574	82.066	72.251	73.249	99.775	86.238	108.844	58.969	56.629	65.508
2	T	5.0096	7.8472	4.6105	8.6425	7.7491	2.5307	7.5353	5.3479	4.8315	5.3805	6.7366	3.3143	5.4732	5.5914	4.5630
	S	102.893	102.092	124.962	71.712	124.941	151.413	92.926	71.778	70.701	94.787	82.386	114.792	97.666	73.896	97.872
3	T	4.2619	7.1105	4.5072	8.2276	7.6078	2.6295	8.0139	5.5599	4.8156	5.4365	6.6905	3.4359	5.9297	6.9066	7.1702
	S	120.945	112.669	127.826	75.328	127.262	145.724	87.377	69.041	70.934	93.810	82.953	110.729	90.147	59.824	62.284
4	T	7.6835	9.5126	12.2086	14.0939	17.2651	6.5087	15.4864	6.5977	7.1288	9.2426	11.0489	7.3531	11.0555	8.8367	9.0995
	S	67.086	84.218	47.191	43.975	56.077	58.872	45.216	58.181	47.917	55.179	50.231	51.741	48.351	46.757	49.079
5	T	9.9408	12.9929	11.3196	11.4797	17.9579	8.5259	15.6359	6.9680	6.8474	7.2204	10.5371	6.8011	10.4939	7.8272	7.3478
	S	51.852	61.660	50.897	53.989	53.914	44.943	44.783	55.090	49.886	70.633	52.671	55.940	50.939	52.788	60.779
6	T	11.6065	12.8444	11.1103	12.2130	15.0001	6.1467	13.7434	7.2459	5.3453	8.3248	9.0605	6.1273	9.4441	7.0197	4.6127
	S	44.411	62.372	51.856	50.747	64.545	62.339	50.950	52.977	63.905	61.263	61.255	62.092	56.601	58.860	96.818
7	T	4.2958	7.2274	4.5708	8.4807	7.6812	2.5613	7.0713	5.3691	4.6696	5.1005	6.4880	3.3107	5.3249	5.4469	4.5394
	S	119.990	110.847	126.047	73.080	126.046	149.604	99.024	71.495	73.152	99.990	85.543	114.917	100.386	75.856	98.381
8	T	4.2566	6.9097	4.5296	8.3492	7.7051	2.5790	6.7990	5.2008	4.4008	5.0606	6.2795	3.2715	5.2782	5.4996	4.5018
	S	121.095	115.944	127.194	74.231	125.655	148.578	102.990	73.809	77.620	100.779	88.383	116.294	101.274	75.129	99.203
9	T	4.2227	7.0135	4.5488	8.5344	7.6008	2.5360	6.9686	5.1887	4.5817	5.0272	6.2072	3.2520	5.2358	5.4303	4.5188
	S	122.068	114.228	126.657	72.621	127.379	151.097	100.483	73.981	74.555	101.448	89.412	116.991	102.094	76.088	98.830
10	T	4.2239	6.9442	4.5241	8.1750	7.7281	2.5951	6.8853	5.1562	4.3071	5.0102	6.1816	3.2425	5.1750	5.3468	4.5745
	S	122.033	115.368	127.348	75.813	125.281	147.656	101.699	74.447	79.309	101.792	89.783	117.334	103.294	77.276	97.626
11	T	4.2535	6.8110	4.4692	8.1033	7.6903	2.5992	6.7783	5.0739	4.3446	4.9126	6.1506	3.2494	5.1610	5.3289	4.4831
	S	121.184	117.624	128.913	76.484	125.896	147.423	103.304	75.655	78.624	103.815	90.235	117.085	103.574	77.536	99.617
12	T	4.1963	6.7087	4.4428	8.0762	7.6883	2.5909	6.6718	5.1096	4.3416	4.9197	6.1386	3.2383	5.1408	5.3056	4.5798
	S	122.835	119.418	129.679	76.741	125.929	147.895	104.953	75.126	78.679	103.665	90.411	117.486	103.981	77.877	97.513
13	T	4.2538	6.7082	4.4491	8.0669	7.7269	2.6107	6.6669	4.9922	4.3044	4.8719	6.1321	3.2373	5.1401	5.2715	4.5831
	S	121.175	119.426	129.495	76.829	125.300	146.774	105.030	76.893	79.359	104.682	90.507	117.522	103.995	78.380	97.443
14	T	4.2374	6.7009	4.3967	7.9863	7.7131	2.6032	6.6747	4.9893	4.3121	4.8794	6.1118	3.2306	5.1072	5.2545	4.5063
	S	121.644	119.557	131.038	77.604	125.524	147.196	104.908	76.937	79.217	104.521	90.808	117.766	104.665	78.634	99.104
15	T	4.2146	6.6509	4.3756	8.0326	7.6748	2.6009	6.5786	4.9997	4.3094	4.8666	6.1410	3.2247	5.0832	5.2145	4.5552
	S	122.302	120.455	131.670	77.157	126.151	147.327	106.440	76.777	79.266	104.796	90.376	117.981	105.159	79.237	98.040
16	T	4.2254	6.6217	4.3821	7.9523	7.6560	2.5936	6.6672	4.9666	4.3027	4.8760	6.1085	3.2124	5.1014	5.2512	4.5031
	S	121.990	120.987	131.475	77.936	126.461	147.741	105.026	77.289	79.390	104.594	90.857	118.433	104.784	78.683	99.174
17	T	4.2039	6.7265	4.4033	7.9708	7.6675	2.5956	6.7063	4.9647	4.3030	4.8614	6.1329	3.2125	5.0550	5.2320	4.5217
	S	122.613	119.102	130.842	77.755	126.271	147.627	104.413	77.319	79.384	104.908	90.496	118.429	105.746	78.972	98.766
18	T	4.2130	6.7001	4.4162	8.0248	7.6972	2.5989	6.6486	4.9825	4.2425	4.8210	6.0214	3.1973	5.0735	5.2316	4.5243
	S	122.349	119.571	130.460	77.232	125.784	147.440	105.320	77.042	80.516	105.787	92.171	118.992	105.360	78.978	98.709
19	T	4.2218	6.6701	4.3970	7.8627	7.6605	2.5975	6.7585	4.9439	4.2876	4.8558	6.1072	3.2252	5.1187	5.2515	4.5211
	S	122.094	120.109	131.029	78.824	126.386	147.519	103.607	77.644	79.669	105.029	90.876	117.963	104.430	78.679	98.779

Event: Cooper Tires Indy Pro 2000 GP of Mid-Ohio

Round 10 / 11

Track: Mid-Ohio Sports Car Course

2.258 mile(s)



Report: Section Data Report

Indy Pro 2000 Championship

Session: Race 1

July 27, 2019

Section Data for Car 11 - Serravalle, Antonio

Lap	T/SLap	PO to SF
1	T	110.0665
	S	73.854
2	T	85.1633
	S	95.450
3	T	88.3033
	S	92.055
4	T	153.1216
	S	53.087
5	T	151.8956
	S	53.516
6	T	139.8447
	S	58.127
7	T	82.1376
	S	98.966
8	T	80.6210
	S	100.827
9	T	80.8665
	S	100.521
10	T	80.0696
	S	101.522
11	T	79.4089
	S	102.366
12	T	79.1490
	S	102.702
13	T	79.0151
	S	102.877
14	T	78.7035
	S	103.284
15	T	78.5223
	S	103.522
16	T	78.4202
	S	103.657
17	T	78.5571
	S	103.476
18	T	78.3929
	S	103.693
19	T	78.4791
	S	103.579

Event: Cooper Tires Indy Pro 2000 GP of Mid-Ohio

Round 10 / 11

Track: Mid-Ohio Sports Car Course

2.258 mile(s)



Report: Section Data Report

Indy Pro 2000 Championship

Session: Race 1

July 27, 2019

Section Data for Car 11 - Serravalle, Antonio

Lap	T/SF to I1	I1 to I2A	I2A to I2	I2 to I3A	I3A to I3	I3 to I4	I4 to I5A	I5A to I5B	I5B to I5	I5 to I6A	I6A to I6	I6 to I7A	I7A to I7	I7 to I8	I8 to SF	
20	T	4.2183	6.7316	4.4293	7.8831	7.6503	2.5936	6.7465	4.9846	4.3103	4.8842	6.1703	3.2573	5.2173	5.3483	4.8427
	S	122.195	119.011	130.074	78.620	126.555	147.741	103.791	77.010	79.250	104.418	89.947	116.801	102.456	77.255	92.219
21	T	4.9258	7.8532	4.7918	8.3273	7.9641	2.7155	7.5003	5.2248	4.4320	5.1786	6.3334	3.3088	5.4598	5.3727	4.5926
	S	104.644	102.014	120.234	74.427	121.568	141.109	93.360	73.470	77.074	98.482	87.631	114.983	97.906	76.904	97.241
22	T	4.5023	10.8007	11.8596	12.8670	18.2470	5.5700	13.6532	6.3562	6.6142	8.9835	9.2942	6.2487	10.1957	6.8414	4.5728
	S	114.487	74.174	48.580	48.168	53.060	68.794	51.287	60.392	51.645	56.771	59.715	60.885	52.429	60.394	97.662
23	T	4.2951	7.2346	4.4816	8.2133	7.6725	2.5698	6.7818	5.2096	4.6723	5.5900	6.4341	3.3408	5.3977	5.5377	4.5801
	S	120.010	110.737	128.556	75.460	126.189	149.110	103.251	73.684	73.110	91.234	86.259	113.881	99.032	74.613	97.507
24	T	4.2577	7.0203	4.5635	8.1524	7.6355	2.5675	6.7015	5.1484	4.4221	4.9403	6.1637	3.2293	5.1083	5.3953	4.4885
	S	121.064	114.117	126.249	76.023	126.800	149.243	104.488	74.560	77.246	103.233	90.043	117.813	104.643	76.582	99.497
25	T	4.1859	6.8286	4.4238	8.0546	7.6463	2.5710	6.6395	5.0989	4.3320	4.8494	6.2033	3.2202	5.0891	5.3738	4.5750
	S	123.141	117.321	130.236	76.946	126.621	149.040	105.464	75.284	78.853	105.168	89.469	118.146	105.037	76.888	97.615
26	T	4.3749	7.8639	7.3477												
	S	117.821	101.875	78.410												

Event: Cooper Tires Indy Pro 2000 GP of Mid-Ohio

Round 10 / 11

Track: Mid-Ohio Sports Car Course

2.258 mile(s)



Report: Section Data Report

Indy Pro 2000 Championship

Session: Race 1

July 27, 2019

Section Data for Car 11 - Serravalle, Antonio

Lap	T/SLap	PO to SF
20	T	79.2677
	S	102.549
21	T	83.9807
	S	96.794
22	T	136.6065
	S	59.505
23	T	82.0110
	S	99.118
24	T	79.7943
	S	101.872
25	T	79.0914
	S	102.777
26	T	
	S	



Event: Cooper Tires Indy Pro 2000 GP of Mid-Ohio

Round 10 / 11

Track: Mid-Ohio Sports Car Course

2.258 mile(s)



Report: Section Data Report

Indy Pro 2000 Championship

Session: Race 1

July 27, 2019

Section Data for Car 2 - Robb, Sting Ray

Lap	T/SF to I1	I1 to I2A	I2A to I2	I2 to I3A	I3A to I3	I3 to I4	I4 to I5A	I5A to I5B	I5B to I5	I5 to I6A	I6A to I6	I6 to I7A	I7A to I7	I7 to I8	I8 to SF	
1	T	6.0137	9.1149	7.2701	9.8216	13.5230	4.3110	8.0116	5.2928	4.4649	5.0872	6.4338	5.2306	11.1875	7.1311	7.4156
	S	85.713	87.893	79.247	63.103	71.595	88.885	87.402	72.526	76.506	100.252	86.263	72.736	47.781	57.941	60.223
2	T	5.0609	7.5695	4.5697	8.8770	7.9727	2.6106	7.1504	5.2918	4.8197	5.2091	6.2950	3.2368	5.3872	5.5383	4.5265
	S	101.850	105.837	126.078	69.818	121.437	146.779	97.928	72.539	70.874	97.906	88.165	117.540	99.225	74.604	98.661
3	T	4.2140	7.2896	4.5037	8.1015	7.6966	2.8295	7.5749	5.1620	4.4943	5.6741	6.4244	3.3869	6.5870	6.4748	7.4069
	S	122.320	109.901	127.925	76.501	125.793	135.424	92.440	74.363	76.005	89.882	86.389	112.331	81.152	63.814	60.294
4	T	7.5384	9.5987	11.4134	14.7296	16.5364	6.5047	15.2025	7.2154	7.2139	9.1661	10.8891	7.3549	11.0829	8.2549	9.8775
	S	68.377	83.463	50.479	42.077	58.549	58.908	46.060	53.201	47.352	55.640	50.968	51.728	48.232	50.053	45.213
5	T	9.1550	13.5494	11.6863	10.8480	18.1110	8.1064	15.8961	6.6767	5.3451	9.5416	10.2957	6.4313	10.8193	7.2029	8.0628
	S	56.303	59.127	49.300	57.132	53.458	47.269	44.050	57.493	63.907	53.450	53.906	59.157	49.407	57.363	55.389
6	T	12.0543	12.5460	9.9429	12.7512	15.0513	6.5530	13.1952	7.4394	5.5421	9.1830	9.2164	6.4860	9.6285	6.9272	4.5546
	S	42.761	63.856	57.944	48.605	64.325	58.474	53.067	51.599	61.636	55.537	60.219	58.658	55.517	59.646	98.053
7	T	4.2672	7.3080	4.6598	8.2718	7.6991	2.5978	6.8396	5.1160	4.3270	5.0832	6.3872	3.2528	5.5382	5.5638	4.5355
	S	120.795	109.625	123.640	74.926	125.753	147.502	102.378	75.032	78.944	100.331	86.893	116.962	96.520	74.263	98.466
8	T	4.2544	7.0341	4.5065	8.0580	7.6399	2.5702	6.7880	5.1482	4.3234	4.9638	6.1790	3.2290	5.1198	5.4449	4.5130
	S	121.158	113.893	127.846	76.914	126.727	149.086	103.157	74.563	79.010	102.744	89.820	117.824	104.407	75.884	98.957
9	T	4.2208	6.9050	4.4652	7.9665	7.6346	2.5760	6.6326	5.1113	4.3229	4.8708	6.0534	3.2043	5.0578	5.4525	4.5581
	S	122.122	116.023	129.028	77.797	126.815	148.751	105.574	75.101	79.019	104.706	91.684	118.732	105.687	75.778	97.977
10	T	4.2124	6.8339	4.4314	7.9157	7.5907	2.5591	6.7329	5.0911	4.2836	4.8366	6.1729	3.2387	4.9424	5.3863	4.4479
	S	122.366	117.230	130.012	78.297	127.548	149.733	104.001	75.399	79.744	105.446	89.909	117.471	108.155	76.710	100.405
11	T	4.1581	6.8345	4.4020	7.9516	7.6149	2.5684	6.6578	5.0731	4.2812	4.9006	6.0025	3.2011	4.9243	5.4676	4.4194
	S	123.964	117.219	130.881	77.943	127.143	149.191	105.174	75.666	79.789	104.069	92.461	118.851	108.553	75.569	101.052
12	T	4.1594	6.7905	4.4124	7.9086	7.5758	2.5545	6.6618	5.0148	4.2353	4.9238	6.1717	3.2066	4.8980	5.3201	4.4918
	S	123.925	117.979	130.572	78.367	127.799	150.003	105.111	76.546	80.653	103.579	89.927	118.647	109.135	77.664	99.424
13	T	4.1757	6.6662	4.3955	7.9711	7.5238	2.5158	6.9017	5.1756	4.2165	4.9682	6.0413	3.2203	4.8388	5.2180	4.4581
	S	123.441	120.179	131.074	77.752	128.683	152.310	101.457	74.168	81.013	102.653	91.868	118.143	110.471	79.184	100.175
14	T	4.1627	6.6720	4.3680	7.8973	7.5656	2.5531	6.8354	5.0457	4.3305	4.9421	6.1037	3.2175	4.8686	5.3732	4.4962
	S	123.827	120.074	131.899	78.479	127.972	150.085	102.441	76.077	78.880	103.195	90.928	118.245	109.794	76.897	99.326
15	T	4.1688	6.9179	4.4242	7.8880	7.6205	2.5821	6.5297	5.0912	4.1961	4.8730	6.0127	3.2176	4.8571	5.2882	4.4624
	S	123.646	115.806	130.224	78.572	127.050	148.399	107.237	75.397	81.407	104.658	92.305	118.242	110.054	78.133	100.079
16	T	4.1579	6.7237	4.3748	7.9970	7.6283	2.5864	6.7418	5.1053	4.2190	4.8729	5.9913	3.1982	4.7895	5.2475	4.4494
	S	123.970	119.151	131.694	77.501	126.920	148.153	103.864	75.189	80.965	104.660	92.634	118.959	111.608	78.739	100.371
17	T	4.1631	6.6121	4.3253	7.8726	7.6200	2.5719	6.5093	5.0081	4.1509	4.8688	6.0351	3.2042	4.8364	5.2892	4.4621
	S	123.815	121.162	133.201	78.725	127.058	148.988	107.573	76.649	82.293	104.749	91.962	118.736	110.525	78.118	100.085
18	T	4.1471	6.6227	4.3286	7.8085	7.5422	2.5463	6.7932	5.0460	4.1958	4.8475	6.0162	3.1956	4.8501	5.2713	4.4429
	S	124.293	120.968	133.100	79.372	128.369	150.486	103.078	76.073	81.413	105.209	92.251	119.056	110.213	78.383	100.518
19	T	4.1402	6.6091	4.3289	7.7921	7.5744	2.5692	6.6534	5.0006	4.1587	4.8637	6.0543	3.2066	4.8006	5.2347	4.4893
	S	124.500	121.217	133.091	79.539	127.823	149.144	105.244	76.764	82.139	104.858	91.670	118.647	111.350	78.931	99.479

Event: Cooper Tires Indy Pro 2000 GP of Mid-Ohio

Round 10 / 11

Track: Mid-Ohio Sports Car Course

2.258 mile(s)



Report: Section Data Report

Indy Pro 2000 Championship

Session: Race 1

July 27, 2019

Section Data for Car 2 - Robb, Sting Ray

Lap	T/SLap	PO to SF
1	T 110.3094	115.9915
	S 73.691	65.642
2	T 84.1152	
	S 96.639	
3	T 87.8202	
	S 92.562	
4	T 152.5784	
	S 53.276	
5	T 151.7276	
	S 53.575	
6	T 141.0711	
	S 57.622	
7	T 81.4470	
	S 99.805	
8	T 79.7722	
	S 101.900	
9	T 79.0318	
	S 102.855	
10	T 78.6756	
	S 103.320	
11	T 78.4571	
	S 103.608	
12	T 78.3251	
	S 103.783	
13	T 78.2866	
	S 103.834	
14	T 78.4316	
	S 103.642	
15	T 78.1295	
	S 104.043	
16	T 78.0830	
	S 104.105	
17	T 77.5291	
	S 104.848	
18	T 77.6540	
	S 104.680	
19	T 77.4758	
	S 104.921	

Event: Cooper Tires Indy Pro 2000 GP of Mid-Ohio

Round 10 / 11

Track: Mid-Ohio Sports Car Course

2.258 mile(s)



Report: Section Data Report

Indy Pro 2000 Championship

Session: Race 1

July 27, 2019

Section Data for Car 2 - Robb, Sting Ray

Lap	T/SF to I1	I1 to I2A	I2A to I2	I2 to I3A	I3A to I3	I3 to I4	I4 to I5A	I5A to I5B	I5B to I5	I5 to I6A	I6A to I6	I6 to I7A	I7A to I7	I7 to I8	I8 to SF	
20	T	4.1626	6.6408	4.3612	7.8611	7.5962	2.5701	6.5024	5.0627	4.1444	4.8776	6.0092	3.2008	4.8329	5.3093	4.4748
	S	123.830	120.639	132.105	78.840	127.456	149.092	107.688	75.822	82.422	104.560	92.358	118.862	110.606	77.822	99.801
21	T	4.6566	7.0973	4.9325	8.9093	10.6195	3.6529	10.1229	5.4537	4.4972	5.2364	6.4341	3.3853	6.1298	6.1585	4.6169
	S	110.693	112.879	116.804	69.565	91.170	104.898	69.173	70.386	75.956	97.395	86.259	112.384	87.204	67.091	96.730
22	T	5.6981	12.3764	11.5933	12.8909	19.1320	5.7919	13.0141	7.3416	6.2705	9.3715	9.4781	6.5544	10.4412	7.1046	4.4735
	S	90.461	64.731	49.696	48.078	50.605	66.158	53.805	52.286	54.476	54.420	58.556	58.046	51.196	58.157	99.830
23	T	4.1442	7.2666	4.4867	8.0510	7.6420	2.5938	6.9717	5.5036	4.8800	5.2730	6.3206	3.2736	4.9628	5.3818	4.4765
	S	124.380	110.249	128.410	76.981	126.692	147.730	100.439	69.748	69.998	96.719	87.808	116.219	107.710	76.774	99.763
24	T	4.1835	6.7900	4.4282	7.8299	7.6274	2.5961	6.5779	5.0783	4.2353	4.8908	6.1573	3.2234	4.8744	5.3033	4.4112
	S	123.211	117.988	130.106	79.155	126.935	147.599	106.451	75.589	80.653	104.277	90.137	118.029	109.664	77.910	101.240
25	T	4.1666	6.7074	4.3513	7.7859	7.5670	2.5661	6.5564	5.0227	4.2216	5.0718	8.1587	4.1046	5.5807	5.4575	4.5081
	S	123.711	119.441	132.406	79.602	127.948	149.325	106.801	76.426	80.915	100.556	68.026	92.690	95.785	75.709	99.064
26	T	4.4533	8.3046	9.0527												
	S	115.747	96.469	63.642												

Event: Cooper Tires Indy Pro 2000 GP of Mid-Ohio

Round 10 / 11

Track: Mid-Ohio Sports Car Course

2.258 mile(s)



Report: Section Data Report

Indy Pro 2000 Championship

Session: Race 1

July 27, 2019

Section Data for Car 2 - Robb, Sting Ray

Lap	T/SLap	PO to SF
20	T	77.6061
	S	104.744
21	T	91.9029
	S	88.450
22	T	141.5321
	S	57.434
23	T	81.2279
	S	100.074
24	T	78.2070
	S	103.940
25	T	81.8264
	S	99.342
26	T	
	S	

Event: Cooper Tires Indy Pro 2000 GP of Mid-Ohio

Round 10 / 11

Track: Mid-Ohio Sports Car Course

2.258 mile(s)



Report: Section Data Report

Indy Pro 2000 Championship

Session: Race 1

July 27, 2019

Section Data for Car 28 - Kirkwood, Kyle (R)

Lap	T/SF to I1	I1 to I2A	I2A to I2	I2 to I3A	I3A to I3	I3 to I4	I4 to I5A	I5A to I5B	I5B to I5	I5 to I6A	I6A to I6	I6 to I7A	I7A to I7	I7 to I8	I8 to SF	
1	T	5.3197	7.7863	6.1696	10.0460	8.9647	3.2635	8.8269	5.4430	5.2487	5.7224	8.0910	7.3419	12.0332	8.2527	7.7787
	S	96.895	102.891	93.383	61.693	107.999	117.414	79.329	70.524	65.081	89.123	68.595	51.820	44.423	50.066	57.412
2	T	5.0231	7.0395	4.4967	8.0766	7.6890	2.6125	6.6489	5.1137	4.3815	5.0249	6.1236	3.2383	5.0766	5.1331	4.5320
	S	102.617	113.806	128.124	76.737	125.918	146.672	105.315	75.066	77.962	101.495	90.633	117.486	105.296	80.494	98.542
3	T	4.2567	6.9277	4.4911	7.9016	7.6535	2.6253	6.7793	5.1259	4.3680	4.9512	7.0534	5.0037	8.4044	7.1816	7.4931
	S	121.093	115.642	128.284	78.436	126.502	145.957	103.289	74.887	78.203	103.005	78.685	76.035	63.603	57.533	59.600
4	T	6.8881	10.5949	11.1010	14.9708	16.4322	6.6899	14.8614	7.8625	6.6835	9.1387	10.8832	7.6343	11.1020	8.3213	7.5224
	S	74.833	75.615	51.900	41.399	58.920	57.278	47.117	48.822	51.110	55.807	50.996	49.835	48.149	49.654	59.368
5	T	9.5800	14.9899	10.0279	12.7584	17.5821	7.4212	15.0158	8.7143	5.6457	9.2157	10.2769	7.1059	10.4305	7.6792	7.6448
	S	53.805	53.445	57.453	48.578	55.066	51.633	46.633	44.050	60.505	55.340	54.005	53.541	51.248	53.805	58.418
6	T	9.3375	13.7443	10.5191	12.3406	16.2519	6.4120	13.2813	6.6748	6.5649	9.0132	9.4558	6.9517	9.9011	7.0160	4.5481
	S	55.203	58.289	54.770	50.222	59.573	59.760	52.723	57.509	52.033	56.584	58.694	54.728	53.988	58.891	98.193
7	T	4.2910	6.9215	4.4861	7.9851	7.6452	2.6060	6.7830	5.2058	4.4622	5.0126	6.2631	3.2709	5.1175	5.2792	4.5400
	S	120.125	115.746	128.427	77.616	126.639	147.038	103.233	73.738	76.552	101.744	88.614	116.315	104.454	78.266	98.368
8	T	4.2573	6.8568	4.4849	7.8485	7.6349	2.5978	6.8322	5.1466	4.3288	4.9525	6.1781	3.2560	5.0702	5.3120	4.5469
	S	121.075	116.838	128.461	78.967	126.810	147.502	102.489	74.586	78.911	102.978	89.833	116.847	105.429	77.783	98.219
9	T	4.2557	6.8149	4.4474	7.8908	7.6298	2.5950	6.7639	5.1211	4.2682	4.9177	6.0901	3.2338	4.9312	5.3193	4.4840
	S	121.121	117.557	129.545	78.544	126.895	147.662	103.524	74.957	80.032	103.707	91.132	117.649	108.401	77.676	99.597
10	T	4.2155	6.7142	4.4255	7.9591	7.5962	2.5945	6.5697	5.0365	4.2698	4.8860	6.0354	3.2239	4.9103	5.3284	4.4830
	S	122.276	119.320	130.186	77.870	127.456	147.690	106.584	76.216	80.002	104.380	91.957	118.011	108.862	77.543	99.619
11	T	4.2144	6.6864	4.3917	7.9230	7.5950	2.5917	6.6475	5.0338	4.3008	4.8722	5.9945	3.2224	4.9403	5.3137	4.4749
	S	122.308	119.816	131.188	78.225	127.476	147.850	105.337	76.257	79.425	104.676	92.585	118.066	108.201	77.758	99.799
12	T	4.2034	6.5652	4.3613	7.8962	7.5983	2.5929	6.6454	4.9886	4.2168	4.8554	5.9889	3.2014	4.9965	5.3227	4.4398
	S	122.628	122.028	132.102	78.490	127.421	147.781	105.370	76.948	81.007	105.038	92.671	118.840	106.984	77.626	100.588
13	T	4.2042	6.6451	4.3960	7.9688	7.5903	2.5919	6.7083	5.0864	4.2363	4.8989	6.0865	3.2301	4.9834	5.4052	4.5005
	S	122.605	120.560	131.059	77.775	127.555	147.838	104.382	75.469	80.634	104.105	91.185	117.784	107.265	76.442	99.231
14	T	4.2076	6.5248	4.3443	8.0191	7.6179	2.5964	6.6904	5.0862	4.3004	4.9263	6.0754	3.2315	4.9897	5.3486	4.4796
	S	122.506	122.783	132.619	77.287	127.093	147.582	104.661	75.472	79.432	103.526	91.352	117.733	107.130	77.250	99.694
15	T	4.2049	6.6534	4.3877	7.9553	7.6171	2.5951	6.6216	5.0386	4.2919	4.9050	6.0837	3.2235	4.8301	5.3236	4.4782
	S	122.584	120.410	131.307	77.907	127.106	147.656	105.749	76.185	79.590	103.976	91.227	118.025	110.670	77.613	99.726
16	T	4.2047	6.6403	4.3991	7.9641	7.6020	2.5956	6.5956	5.0214	4.2500	4.8717	5.9737	3.2009	4.8277	5.2969	4.4664
	S	122.590	120.648	130.967	77.821	127.359	147.627	106.166	76.446	80.374	104.686	92.907	118.859	110.725	78.004	99.989
17	T	4.2009	6.6462	4.3879	7.9867	7.6141	2.5892	6.4931	4.9502	4.1901	4.8481	5.9634	3.2056	4.8042	5.2319	4.4198
	S	122.701	120.541	131.301	77.601	127.156	147.992	107.842	77.545	81.523	105.196	93.068	118.684	111.266	78.974	101.043
18	T	4.1743	6.5866	4.3576	7.8412	7.6217	2.5914	6.4871	4.9682	4.1863	4.8647	5.9611	3.1923	4.7814	5.2271	4.4490
	S	123.483	121.631	132.214	79.041	127.030	147.867	107.941	77.264	81.597	104.837	93.104	119.179	111.797	79.046	100.380
19	T	4.1852	6.6808	4.3603	7.9683	7.6151	2.5941	6.5055	4.9853	4.1741	4.8105	5.9792	3.2017	4.7712	5.2864	4.4286
	S	123.161	119.916	132.132	77.780	127.140	147.713	107.636	76.999	81.836	106.018	92.822	118.829	112.036	78.159	100.842

Event: Cooper Tires Indy Pro 2000 GP of Mid-Ohio

Round 10 / 11

Track: Mid-Ohio Sports Car Course

2.258 mile(s)



Report: Section Data Report

Indy Pro 2000 Championship

Session: Race 1

July 27, 2019

Section Data for Car 28 - Kirkwood, Kyle (R)

Lap	T/SLap	PO to SF
1	T 110.2883	140.2028
	S 73.705	54.306
2	T 80.2100	
	S 101.344	
3	T 90.2165	
	S 90.103	
4	T 150.6862	
	S 53.945	
5	T 154.0883	
	S 52.754	
6	T 142.0123	
	S 57.240	
7	T 79.8692	
	S 101.776	
8	T 79.3035	
	S 102.502	
9	T 78.7629	
	S 103.206	
10	T 78.2480	
	S 103.885	
11	T 78.2023	
	S 103.946	
12	T 77.8728	
	S 104.386	
13	T 78.5319	
	S 103.510	
14	T 78.4382	
	S 103.633	
15	T 78.2097	
	S 103.936	
16	T 77.9101	
	S 104.336	
17	T 77.5314	
	S 104.845	
18	T 77.2900	
	S 105.173	
19	T 77.5463	
	S 104.825	

Event: Cooper Tires Indy Pro 2000 GP of Mid-Ohio

Round 10 / 11

Track: Mid-Ohio Sports Car Course

2.258 mile(s)



Report: Section Data Report

Indy Pro 2000 Championship

Session: Race 1

July 27, 2019

Section Data for Car 28 - Kirkwood, Kyle (R)

Lap	T/SF to I1	I1 to I2A	I2A to I2	I2 to I3A	I3A to I3	I3 to I4	I4 to I5A	I5A to I5B	I5B to I5	I5 to I6A	I6A to I6	I6 to I7A	I7A to I7	I7 to I8	I8 to SF	
20	T	4.1737	6.5360	4.4640	7.9448	7.5829	2.5788	6.5492	5.0425	4.2023	4.8326	6.0125	3.2049	4.8623	5.3924	4.4200
	S	123.501	122.573	129.063	78.010	127.680	148.589	106.918	76.126	81.287	105.533	92.308	118.710	109.937	76.623	101.039
21	T	4.4214	7.0865	5.9662	10.2000	10.9795	4.2390	10.1594	5.2060	4.4996	5.3929	6.5801	3.6645	6.2267	5.9559	4.6638
	S	116.582	113.051	96.567	60.762	88.181	90.394	68.924	73.735	75.916	94.569	84.345	103.822	85.847	69.374	95.757
22	T	5.7848	12.2777	11.4133	13.0023	17.3177	7.2398	12.9926	7.5405	6.5720	8.9752	9.3757	7.1513	10.5918	7.2076	4.5381
	S	89.105	65.251	50.479	47.666	55.907	52.927	53.894	50.907	51.977	56.823	59.196	53.201	50.468	57.326	98.409
23	T	4.2269	6.8304	4.4801	7.8422	7.6365	2.6053	6.6026	5.1383	4.2696	4.8720	6.1117	3.2434	4.9523	5.2333	4.4743
	S	121.946	117.290	128.599	79.030	126.783	147.078	106.053	74.706	80.005	104.680	90.809	117.301	107.939	78.952	99.812
24	T	4.2037	6.6635	4.3944	7.9526	7.6325	2.5937	6.6257	5.1171	4.2471	4.9187	6.1207	3.2406	4.9432	5.2946	4.4930
	S	122.619	120.228	131.107	77.933	126.850	147.736	105.684	75.016	80.429	103.686	90.676	117.403	108.138	78.038	99.397
25	T	4.2119	6.6253	4.3596	7.7642	7.5813	2.5924	6.5159	5.0091	4.2009	4.8389	5.9793	3.2096	4.8605	5.2216	4.4550
	S	122.381	120.921	132.153	79.824	127.707	147.810	107.464	76.633	81.314	105.396	92.820	118.536	109.977	79.129	100.245
26	T	4.7305	7.4310	5.1541	8.7459											
	S	108.964	107.810	111.782	70.864											

Event: Cooper Tires Indy Pro 2000 GP of Mid-Ohio

Round 10 / 11

Track: Mid-Ohio Sports Car Course

2.258 mile(s)



Report: Section Data Report

Indy Pro 2000 Championship

Session: Race 1

July 27, 2019

Section Data for Car 28 - Kirkwood, Kyle (R)

Lap	T/SLap	PO to SF
20	T	77.7989
	S	104.485
21	T	95.2415
	S	85.349
22	T	141.9804
	S	57.253
23	T	78.5189
	S	103.527
24	T	78.4411
	S	103.629
25	T	77.4255
	S	104.989
26	T	
	S	



Event: Cooper Tires Indy Pro 2000 GP of Mid-Ohio

Round 10 / 11

Track: Mid-Ohio Sports Car Course

2.258 mile(s)



Report: Section Data Report

Indy Pro 2000 Championship

Session: Race 1

July 27, 2019

Section Data for Car 3 - Comeau, Antoine (R)

Lap	T/SF to I1	I1 to I2A	I2A to I2	I2 to I3A	I3A to I3	I3 to I4	I4 to I5A	I5A to I5B	I5B to I5	I5 to I6A	I6A to I6	I6 to I7A	I7A to I7	I7 to I8	I8 to SF	
1	T	6.2959	10.2432	7.7746	9.9657	13.5065	5.4660	8.6021	5.4865	4.5087	5.1647	6.3565	3.5318	9.5212	7.0598	6.9990
	S	81.871	78.212	74.105	62.191	71.683	70.103	81.402	69.965	75.763	98.747	87.312	107.723	56.143	58.526	63.808
2	T	4.9888	7.5228	4.5375	8.8907	8.0655	2.5501	7.9879	5.4802	4.5270	5.3663	6.5830	3.3201	5.5629	5.5991	4.6297
	S	103.322	106.494	126.972	69.710	120.040	150.261	87.661	70.046	75.456	95.038	84.308	114.591	96.091	73.794	96.462
3	T	4.3387	7.1377	4.5034	8.2826	7.7718	2.6011	7.6284	5.6802	4.8006	5.6525	6.7628	3.4065	5.7924	6.7912	7.3368
	S	118.804	112.240	127.934	74.828	124.576	147.315	91.792	67.579	71.156	90.226	82.067	111.685	92.284	60.841	60.870
4	T	8.0207	9.4547	12.0048	13.9024	17.7577	6.5549	15.3996	6.2770	7.4076	9.0932	11.1118	7.3650	11.1797	8.7626	10.4491
	S	64.266	84.734	47.992	44.580	54.522	58.457	45.470	61.154	46.114	56.086	49.947	51.657	47.814	47.153	42.740
5	T	9.3870	12.4884	11.4449	10.9751	18.1668	8.4763	15.9537	6.4946	7.0297	7.2174	10.5752	7.0088	10.2746	7.6262	7.4734
	S	54.912	64.150	50.340	56.471	53.294	45.206	43.891	59.105	48.593	70.663	52.481	54.282	52.026	54.179	59.757
6	T	11.6000	13.5292	10.6267	12.4873	14.6804	5.9889	13.7862	7.2439	5.6314	7.6500	8.9729	6.3657	9.2827	7.0282	4.8037
	S	44.436	59.215	54.216	49.632	65.951	63.982	50.792	52.991	60.658	66.667	61.853	59.766	57.585	58.789	92.968
7	T	4.5535	7.6490	4.7414	8.5341	7.7792	2.6476	7.1136	5.3689	4.6551	5.4636	6.8634	3.6291	5.8395	5.8679	4.6199
	S	113.200	104.737	121.512	72.623	124.458	144.728	98.435	71.498	73.380	93.345	80.864	104.834	91.540	70.414	96.667
8	T	4.5032	7.4544	4.7014	8.4340	7.8294	2.6668	7.3548	5.3517	4.4914	5.5085	6.4879	3.4202	6.1055		
	S	114.464	107.472	122.546	73.485	123.660	143.686	95.207	71.727	76.054	92.584	85.544	111.238	87.551		
9	T			4.8592	8.3428	7.8313	2.6678	7.0346	5.3656	4.2331	5.0308	6.5175	3.4285	5.2073	5.4232	4.5411
	S			118.566	74.288	123.630	143.632	99.540	71.542	80.695	101.376	85.155	110.968	102.653	76.188	98.344
10	T	4.2796	6.7848	4.5266	8.2807	7.8040	2.6746	6.7592	5.1629	4.2140	5.1296	6.1238	3.2661	5.0039	5.3148	4.6498
	S	120.445	118.078	127.278	74.845	124.062	143.267	103.596	74.350	81.061	99.423	90.630	116.486	106.826	77.742	96.045
11	T	4.3425	6.9861	4.5489	8.1448	7.7347	2.6592	6.7703	5.2535	4.2710	4.9197	6.4162	3.3027	5.0770	5.5217	4.5850
	S	118.700	114.676	126.654	76.094	125.174	144.097	103.426	73.068	79.979	103.665	86.500	115.195	105.288	74.829	97.403
12	T	4.2655	6.7668	4.4544	8.0909	7.7645	2.6557	6.8383	5.2127	4.2467	4.9742	6.1742	3.2872	5.0594	5.3868	4.5655
	S	120.843	118.392	129.341	76.601	124.693	144.287	102.398	73.640	80.437	102.529	89.890	115.738	105.654	76.703	97.819
13	T	4.2549	6.7792	4.5172	8.0388	7.7427	2.6515	6.7853	5.1846	4.2587	5.1133	6.1459	3.2529	5.0416	5.4345	4.5166
	S	121.144	118.176	127.543	77.098	125.044	144.515	103.198	74.039	80.210	99.740	90.304	116.959	106.027	76.029	98.878
14	T	4.2394	6.7656	4.4691	8.0843	7.7487	2.6567	6.6614	5.1421	4.1520	5.0390	6.1156	3.2471	5.0888	5.3956	4.5464
	S	121.587	118.413	128.916	76.664	124.948	144.232	105.117	74.651	82.271	101.211	90.752	117.167	105.044	76.578	98.230
15	T	4.2420	6.6938	4.4252	8.0147	7.7422	2.6491	6.7705	5.1550	4.1730	4.8835	6.2348	3.2837	5.0035	5.4072	4.4902
	S	121.512	119.683	130.194	77.329	125.053	144.646	103.423	74.464	81.857	104.433	89.016	115.862	106.834	76.413	99.459
16	T	4.2379	6.6928	4.4375	7.8396	7.7193	2.6519	6.6460	5.1971	4.1822	4.9287	6.1054	3.2348	5.1225	5.3776	4.5275
	S	121.630	119.701	129.834	79.057	125.424	144.493	105.361	73.861	81.677	103.476	90.903	117.613	104.352	76.834	98.640
17	T	4.2313	6.7043	4.4407	8.0163	7.7102	2.6480	6.6419	5.1387	4.2037	4.9357	6.1666	3.2546	4.9848	5.3250	4.5350
	S	121.819	119.496	129.740	77.314	125.572	144.706	105.426	74.701	81.260	103.329	90.001	116.897	107.235	77.593	98.476
18	T	4.2191	6.8111	4.4720	8.0080	7.6953	2.6407	6.7095	5.2332	4.2567	4.9799	6.1955	3.2810	4.9826	5.2692	4.5256
	S	122.172	117.622	128.832	77.394	125.815	145.106	104.364	73.352	80.248	102.412	89.581	115.957	107.282	78.415	98.681
19	T	4.2488	7.6169	5.2470	8.4385	7.8218	2.6534	7.6701	5.5031	4.5568	5.3419	6.3414	3.3336	5.4320	5.4130	4.7203
	S	121.318	105.179	109.803	73.446	123.780	144.412	91.293	69.754	74.963	95.472	87.520	114.127	98.407	76.331	94.611

Event: Cooper Tires Indy Pro 2000 GP of Mid-Ohio

Round 10 / 11

Track: Mid-Ohio Sports Car Course

2.258 mile(s)



Report: Section Data Report

Indy Pro 2000 Championship

Session: Race 1

July 27, 2019

Section Data for Car 3 - Comeau, Antoine (R)

Lap	T/S Lap	PI to PO	PO to SF	SF to PI
1	T	110.4822		110.8200
	S	73.576		68.705
2	T	85.6116		
	S	94.950		
3	T	88.4867		
	S	91.865		
4	T	154.7408		
	S	52.532		
5	T	150.5921		
	S	53.979		
6	T	139.6772		
	S	58.197		
7	T	85.3258		
	S	95.268		
8	T	92.6318	125.9509	81.0148
	S	87.754	7.129	94.831
9	T	194.1882	79.8543	
	S	41.860	95.347	
10	T	79.9744		
	S	101.643		
11	T	80.5333		
	S	100.937		
12	T	79.7428		
	S	101.938		
13	T	79.7177		
	S	101.970		
14	T	79.3518		
	S	102.440		
15	T	79.1684		
	S	102.677		
16	T	78.9008		
	S	103.026		
17	T	78.9368		
	S	102.979		
18	T	79.2794		
	S	102.534		
19	T	84.3386		
	S	96.383		

Event: Cooper Tires Indy Pro 2000 GP of Mid-Ohio

Round 10 / 11

Track: Mid-Ohio Sports Car Course

2.258 mile(s)



Report: Section Data Report

Indy Pro 2000 Championship

Session: Race 1

July 27, 2019

Section Data for Car 3 - Comeau, Antoine (R)

Lap	T/SF to I1	I1 to I2A	I2A to I2	I2 to I3A	I3A to I3	I3 to I4	I4 to I5A	I5A to I5B	I5B to I5	I5 to I6A	I6A to I6	I6 to I7A	I7A to I7	I7 to I8	I8 to SF	
20	T	4.4545	7.8101	4.7889	8.5146	7.8195	2.6442	8.0801	5.3950	4.7058	5.3644	6.6044	3.4413	5.7732	5.4686	4.6130
	S	115.715	102.577	120.307	72.789	123.816	144.914	86.661	71.152	72.589	95.071	84.035	110.555	92.591	75.555	96.811
21	T	4.4711	7.2816	4.6234	8.4889	7.7201	2.6247	7.3921	5.3344	4.4057	5.4898	6.3719	3.2771	5.4385	5.5397	4.6433
	S	115.286	110.022	124.613	73.010	125.411	145.991	94.726	71.960	77.534	92.900	87.101	116.095	98.289	74.586	96.180
22	T	4.4871	7.4411	4.6006	8.2781	7.6719	2.5966	7.4387	5.4383	4.9536	5.5041	6.4328	3.2638	5.4961	5.6451	4.5665
	S	114.875	107.664	125.231	74.869	126.198	147.571	94.133	70.585	68.958	92.658	86.277	116.568	97.259	73.193	97.797
23	T	4.4157	7.4044	4.4975	8.2968	7.7389	2.6485	6.8270	5.2075	4.2433	5.0494	6.2318	3.3001	4.9847	5.2534	4.5650
	S	116.732	108.197	128.101	74.700	125.106	144.679	102.567	73.714	80.501	101.002	89.059	115.286	107.237	78.650	97.829
24	T	4.2609	6.8129	4.4577	7.8676	7.7375	2.6482	6.6581	5.1402	4.2692	4.9099	6.1311	3.2736	4.9950	5.2864	4.4968
	S	120.973	117.591	129.245	78.775	125.129	144.695	105.169	74.679	80.013	103.872	90.522	116.219	107.016	78.159	99.313
25	T	4.2456	6.9130													
	S	121.409	115.888													

Event: Cooper Tires Indy Pro 2000 GP of Mid-Ohio

Round 10 / 11

Track: Mid-Ohio Sports Car Course

2.258 mile(s)



Report: Section Data Report

Indy Pro 2000 Championship

Session: Race 1

July 27, 2019

Section Data for Car 3 - Comeau, Antoine (R)

Lap	T/SLap	PI to PO	PO to SF	SF to PI
20	T	85.4776		
	S	95.099		
21	T	83.1023		
	S	97.817		
22	T	83.8144		
	S	96.986		
23	T	80.6640		
	S	100.774		
24	T	78.9451		
	S	102.968		
25	T			
	S			

Event: Cooper Tires Indy Pro 2000 GP of Mid-Ohio

Round 10 / 11

Track: Mid-Ohio Sports Car Course

2.258 mile(s)



Report: Section Data Report

Indy Pro 2000 Championship

Session: Race 1

July 27, 2019

Section Data for Car 5 - Rodriguez, Ian (R)

Lap	T/SF to I1	I1 to I2A	I2A to I2	I2 to I3A	I3A to I3	I3 to I4	I4 to I5A	I5A to I5B	I5B to I5	I5 to I6A	I6A to I6	I6 to I7A	I7A to I7	I7 to I8	I8 to SF	
1	T	5.4692	8.9044	6.7181	9.6034	13.3882	3.4856	7.2715	5.1784	4.4437	5.1172	7.2170	6.7763	11.6670	7.4438	7.6049
	S	94.247	89.971	85.759	64.537	72.316	109.933	96.298	74.128	76.871	99.664	76.902	56.145	45.817	55.507	58.724
2	T	5.0637	7.6078	4.5407	8.2976	7.6528	2.5438	6.9454	5.3038	4.4111	5.0572	6.2639	3.2520	5.2226	5.4233	4.6412
	S	101.794	105.305	126.883	74.693	126.513	150.634	100.819	72.375	77.439	100.846	88.603	116.991	102.352	76.186	96.223
3	T	4.2922	6.8696	4.4392	7.9787	7.6683	2.5939	7.0556	5.2524	4.3499	5.0044	6.2831	4.5632	8.6781	6.9476	7.6038
	S	120.091	116.621	129.784	77.678	126.258	147.724	99.244	73.083	78.528	101.910	88.332	83.375	61.597	59.471	58.733
4	T	7.3562	9.4940	11.2806	15.1460	16.3033	6.5976	14.8580	7.4537	7.2419	9.1254	10.9689	7.4802	10.9691	8.5226	9.8313
	S	70.071	84.383	51.073	40.920	59.386	58.079	47.128	51.500	47.169	55.888	50.598	50.862	48.732	48.481	45.425
5	T	8.8717	13.2503	11.4646	11.3221	18.2656	7.7763	16.2195	6.5111	5.4753	9.5538	10.1243	6.5149	10.8988	7.3139	7.9402
	S	58.101	60.462	50.254	54.740	53.006	49.276	43.172	58.955	62.388	53.382	54.819	58.398	49.046	56.493	56.244
6	T	12.1302	12.2520	9.7132	13.1429	14.9429	6.7536	13.3470	7.5391	5.3863	9.1836	8.9895	6.6529	9.8013	6.9937	4.5936
	S	42.493	65.388	59.315	47.156	64.792	56.737	52.463	50.916	63.418	55.534	61.739	57.186	54.538	59.079	97.220
7	T	4.3135	7.1558	4.5071	8.1332	7.5886	2.5459	6.8105	5.2601	4.5785	4.9592	6.2496	3.2793	5.1767	5.4412	4.5577
	S	119.498	111.956	127.829	76.203	127.584	150.509	102.816	72.976	74.608	102.839	88.806	116.017	103.260	75.936	97.986
8	T	4.2719	6.9231	4.4826	8.0419	7.6560	2.5964	6.5977	5.0898	4.2744	4.9221	6.1790	3.2524	5.1243	5.4255	4.5975
	S	120.662	115.719	128.527	77.068	126.461	147.582	106.132	75.418	79.916	103.614	89.820	116.977	104.316	76.156	97.138
9	T	4.2682	6.8513	4.4669	8.1899	7.7168	2.6023	6.7162	5.0923	4.2868	4.9646	6.2238	3.2942	5.0764	5.3818	4.5148
	S	120.766	116.932	128.979	75.675	125.464	147.247	104.259	75.381	79.684	102.727	89.174	115.492	105.300	76.774	98.917
10	T	4.2479	6.8483	4.4306	7.9621	7.6540	2.6007	6.6740	4.9919	4.2158	4.8978	6.0630	3.2270	4.9440	5.2898	4.4773
	S	121.343	116.983	130.036	77.840	126.494	147.338	104.919	76.897	81.026	104.128	91.539	117.897	108.120	78.109	99.746
11	T	4.2342	6.7657	4.3973	8.0378	7.6567	2.5983	6.7266	5.0002	4.2773	4.8968	6.0377	3.2346	4.9595	5.3645	4.4962
	S	121.736	118.411	131.020	77.107	126.449	147.474	104.098	76.770	79.861	104.150	91.922	117.620	107.782	77.021	99.326
12	T	4.2251	6.7149	4.4085	7.9708	7.6309	2.6050	6.6552	5.0176	4.2487	4.8985	5.9970	3.2092	4.8754	5.3913	4.4816
	S	121.998	119.307	130.688	77.755	126.876	147.095	105.215	76.503	80.399	104.114	92.546	118.551	109.641	76.639	99.650
13	T	4.2171	6.7689	4.3985	7.9541	7.6218	2.6006	6.6465	5.0684	4.2468	4.8990	6.0638	3.2302	4.9504	5.3961	4.5227
	S	122.230	118.355	130.985	77.919	127.028	147.344	105.353	75.737	80.435	104.103	91.527	117.780	107.980	76.570	98.744
14	T	4.2341	6.6971	4.3950	7.9602	7.6611	2.6098	6.6906	5.0264	4.2643	4.9078	6.1198	3.2628	4.9451	5.3623	4.4914
	S	121.739	119.624	131.089	77.859	126.376	146.824	104.658	76.369	80.105	103.916	90.689	116.604	108.096	77.053	99.432
15	T	4.2283	6.7091	4.3639	7.8654	7.6105	2.5998	6.5390	5.0423	4.2223	4.8503	6.0361	3.2171	4.8529	5.3521	4.4659
	S	121.906	119.410	132.023	78.797	127.217	147.389	107.085	76.129	80.902	105.148	91.947	118.260	110.150	77.200	100.000
16	T	4.2099	6.6756	4.3741	7.8842	7.6355	2.6007	6.4939	4.9970	4.1905	4.8442	5.9983	3.2018	4.8819	5.3120	4.4562
	S	122.439	120.010	131.715	78.609	126.800	147.338	107.828	76.819	81.516	105.281	92.526	118.825	109.495	77.783	100.218
17	T	4.2075	6.6963	4.3827	7.8899	7.6142	2.5950	6.5442	4.9493	4.2086	4.8416	6.0286	3.2428	4.8447	5.2860	4.4582
	S	122.509	119.639	131.457	78.553	127.155	147.662	107.000	77.559	81.165	105.337	92.061	117.323	110.336	78.165	100.173
18	T	4.2065	6.6902	4.3861	7.8426	7.6278	2.5998	6.4839	4.9855	4.2218	4.8557	5.9953	3.2105	4.8890	5.2225	4.4469
	S	122.538	119.748	131.355	79.026	126.928	147.389	107.995	76.996	80.911	105.031	92.573	118.503	109.336	79.116	100.427
19	T	4.2037	6.6003	4.3252	7.8575	7.6517	2.6102	6.4989	4.9823	4.1804	4.8290	5.9371	3.1930	4.8287	5.2627	4.4357
	S	122.619	121.379	133.205	78.877	126.532	146.802	107.746	77.045	81.712	105.612	93.480	119.153	110.702	78.511	100.681

Event: Cooper Tires Indy Pro 2000 GP of Mid-Ohio

Round 10 / 11

Track: Mid-Ohio Sports Car Course

2.258 mile(s)



Report: Section Data Report

Indy Pro 2000 Championship

Session: Race 1

July 27, 2019

Section Data for Car 5 - Rodriguez, Ian (R)

Lap	T/S Lap	PO to SF
1	T 110.2887	128.6860
	S 73.705	59.166
2	T 82.2269	
	S 98.858	
3	T 89.5800	
	S 90.743	
4	T 152.6288	
	S 53.259	
5	T 151.5024	
	S 53.655	
6	T 141.4218	
	S 57.479	
7	T 80.5569	
	S 100.908	
8	T 79.4346	
	S 102.333	
9	T 79.6463	
	S 102.061	
10	T 78.5242	
	S 103.520	
11	T 78.6834	
	S 103.310	
12	T 78.3297	
	S 103.777	
13	T 78.5849	
	S 103.440	
14	T 78.6278	
	S 103.383	
15	T 77.9550	
	S 104.276	
16	T 77.7558	
	S 104.543	
17	T 77.7896	
	S 104.497	
18	T 77.6641	
	S 104.666	
19	T 77.3964	
	S 105.028	

Event: Cooper Tires Indy Pro 2000 GP of Mid-Ohio

Round 10 / 11

Track: Mid-Ohio Sports Car Course

2.258 mile(s)



Report: Section Data Report

Indy Pro 2000 Championship

Session: Race 1

July 27, 2019

Section Data for Car 5 - Rodriguez, Ian (R)

Lap	T/SF to I1	I1 to I2A	I2A to I2	I2 to I3A	I3A to I3	I3 to I4	I4 to I5A	I5A to I5B	I5B to I5	I5 to I6A	I6A to I6	I6 to I7A	I7A to I7	I7 to I8	I8 to SF	
20	T	4.1946	6.6349	4.3529	7.8493	7.6112	2.5914	6.4758	5.0302	4.2408	4.8557	5.9727	3.2129	4.8889	5.2405	4.4244
	S	122.885	120.746	132.357	78.959	127.205	147.867	108.130	76.312	80.549	105.031	92.923	118.415	109.339	78.844	100.938
21	T	4.2079	6.7227	4.7740	9.5113	10.8411	3.8521	10.2806	5.3263	4.4129	5.1322	6.5203	3.4486	6.2679	6.1711	4.6099
	S	122.497	119.169	120.682	65.162	89.307	99.473	68.112	72.069	77.407	99.373	85.119	110.321	85.283	66.954	96.876
22	T	5.5743	12.3800	11.4939	13.1811	18.9619	5.5629	13.1320	7.4618	6.2962	9.4199	8.9559	7.1469	10.4947	7.1970	4.5838
	S	92.470	64.712	50.125	47.020	51.059	68.882	53.322	51.444	54.254	54.141	61.970	53.234	50.935	57.410	97.428
23	T	4.2947	7.3741	4.3716	8.2195	7.5721	2.5451		4.6401	5.0429	6.3478	3.2410	5.1095	5.3690	4.4728	
	S	120.021	108.642	131.791	75.403	127.862	150.557		73.617	101.132	87.432	117.388	104.618	76.957	99.846	
24	T	4.2499	6.7795	4.4181	7.9247	7.6877	2.6073	6.4857	5.0865	4.3956	4.9219	6.1929	3.2914	4.9986	5.3232	4.4492
	S	121.286	118.170	130.404	78.208	125.939	146.965	107.965	75.467	77.712	103.619	89.619	115.590	106.939	77.619	100.376
25	T	4.2880	6.9126	4.5209	8.0082	7.8511	2.6699	6.6470	5.0995	4.3069	4.8737	6.0339	3.2530	4.9784	5.2998	4.4909
	S	120.209	115.895	127.438	77.392	123.318	143.519	105.345	75.275	79.312	104.643	91.980	116.955	107.373	77.962	99.444
26	T	4.6323	8.8426	9.7378												
	S	111.274	90.600	59.165												

Event: Cooper Tires Indy Pro 2000 GP of Mid-Ohio

Round 10 / 11

Track: Mid-Ohio Sports Car Course

2.258 mile(s)



Report: Section Data Report

Indy Pro 2000 Championship

Session: Race 1

July 27, 2019

Section Data for Car 5 - Rodriguez, Ian (R)

Lap	T/SLap	PO to SF
20	T	77.5762
	S	104.785
21	T	92.0789
	S	88.281
22	T	141.8423
	S	57.309
23	T	81.7261
	S	99.464
24	T	78.8122
	S	103.141
25	T	79.2338
	S	102.593
26	T	
	S	



Event: Cooper Tires Indy Pro 2000 GP of Mid-Ohio

Round 10 / 11

Track: Mid-Ohio Sports Car Course

2.258 mile(s)



Report: Section Data Report

Indy Pro 2000 Championship

Session: Race 1

July 27, 2019

Section Data for Car 51 - Abel, Jacob (R)

Lap	T/SF to I1	I1 to I2A	I2A to I2	I2 to I3A	I3A to I3	I3 to I4	I4 to I5A	I5A to I5B	I5B to I5	I5 to I6A	I6A to I6	I6 to I7A	I7A to I7	I7 to I8	I8 to SF	
1	T	5.8572	8.4350	6.6072	9.7141	10.1984	3.5150	8.0438	5.3523	4.8849	5.7026	8.4321	6.6604	11.4888	7.6558	7.8114
	S	88.004	94.978	87.198	63.801	94.935	109.013	87.052	71.719	69.928	89.433	65.820	57.122	46.528	53.970	57.172
2	T	5.1522	7.4990	4.6082	8.4795	7.6104	2.5444	7.1966	5.2707	4.7248	5.4158	6.3154	3.2953	5.1023	5.5232	4.6306
	S	100.046	106.832	125.024	73.091	127.218	150.598	97.300	72.830	72.297	94.169	87.880	115.454	104.766	74.808	96.443
3	T	4.3102	6.9025	4.4861	8.3059	7.6570										
	S	119.589	116.065	128.427	74.618	126.444										

**Event:** Cooper Tires Indy Pro 2000 GP of Mid-Ohio

**Round 10 / 11**

**Track:** Mid-Ohio Sports Car Course

**2.258 mile(s)**



**Report:** Section Data Report

**Indy Pro 2000 Championship**

**Session:** Race 1

**July 27, 2019**

**Section Data for Car 51 - Abel, Jacob (R)**

Lap	T/SLap	PO to SF
1	T	110.3590
	S	73.658
2	T	83.3684
	S	97.505
3	T	
	S	

Event: Cooper Tires Indy Pro 2000 GP of Mid-Ohio

Round 10 / 11

Track: Mid-Ohio Sports Car Course

2.258 mile(s)



Report: Section Data Report

Indy Pro 2000 Championship

Session: Race 1

July 27, 2019

Section Data for Car 6 - de la Vara, Moises

Lap	T/SF to I1	I1 to I2A	I2A to I2	I2 to I3A	I3A to I3	I3 to I4	I4 to I5A	I5A to I5B	I5B to I5	I5 to I6A	I6A to I6	I6 to I7A	I7A to I7	I7 to I8	I8 to SF	
1	T	6.8112	9.1257	7.4288	9.6522	13.7789	4.8828	9.2003	5.3200	4.3790	4.9703	6.6537	3.7317	10.0756	6.9993	7.2504
	S	75.677	87.789	77.554	64.211	70.266	78.476	76.109	72.155	78.007	102.610	83.412	101.952	53.053	59.032	61.595
2	T	5.0394	7.4848	4.5664	8.9062	7.9414	2.5736	7.1171	5.4338	4.8559	5.2947	6.4022	3.3480	5.1968	5.5955	4.5475
	S	102.285	107.035	126.169	69.589	121.916	148.889	98.387	70.644	70.346	96.323	86.689	113.636	102.861	73.842	98.206
3	T	4.2932	7.0875	4.5186	8.1681	7.7756	2.6505	8.2522	5.3602	4.5331	5.3651	6.4710	3.4476	6.0280	6.5077	7.4151
	S	120.063	113.035	127.503	75.877	124.515	144.570	84.853	71.614	75.355	95.059	85.767	110.353	88.677	63.491	60.227
4	T	7.5238	9.5539	11.5319	14.6676	16.4754	6.6087	15.0743	7.4424	7.0150	9.3073	10.8740	7.5669	10.8348	8.4492	9.6726
	S	68.510	83.854	49.960	42.255	58.765	57.981	46.452	51.578	48.694	54.796	51.039	50.279	49.336	48.902	46.171
5	T	9.2008	13.4636	11.8723	10.7070	18.1766	8.2753	15.9789	6.2740	5.6433	9.3950	10.2712	6.5186	10.9063	7.3024	7.9979
	S	56.023	59.504	48.528	57.885	53.265	46.304	43.822	61.183	60.530	54.284	54.035	58.364	49.013	56.582	55.839
6	T	11.8056	12.4894	10.3557	12.2997	15.2014	6.7970	13.2124	7.1115	5.4420	9.2933	9.2320	6.3336	9.5306	6.8884	4.5935
	S	43.662	64.145	55.635	50.389	63.690	56.375	52.998	53.978	62.769	54.878	60.117	60.069	56.087	59.982	97.222
7	T	4.3089	7.3365	4.6312	8.4634	7.7486	2.5801	7.4785	5.6003	5.0300	5.3690	6.5292	3.3205	5.3286	5.5714	4.5381
	S	119.626	109.199	124.403	73.230	124.949	148.514	93.632	68.543	67.911	94.990	85.003	114.577	100.316	74.161	98.409
8	T	4.3135	6.9606	4.5288	8.2921	7.9357	2.6565	6.7473	5.1191	4.4898	4.9766	6.2102	3.2763	5.0923	5.6050	4.5029
	S	119.498	115.096	127.216	74.743	122.003	144.243	103.779	74.987	76.082	102.480	89.369	116.123	104.971	73.717	99.179
9	T	4.2667	6.7134	4.3806	8.1125	7.7288	2.6189	6.7635	5.2150	4.5255	4.9644	6.1805	3.2700	4.9646	5.4223	4.5354
	S	120.809	119.334	131.520	76.397	125.269	146.314	103.530	73.608	75.481	102.731	89.799	116.347	107.671	76.200	98.468
10	T	4.2692	6.7225	4.4117	8.0218	7.7757	2.6308	6.7253	5.1254	4.3354	4.9497	6.1650	3.2928	5.0764	5.4130	4.5270
	S	120.738	119.172	130.593	77.261	124.514	145.652	104.118	74.894	78.791	103.037	90.024	115.541	105.300	76.331	98.651
11	T	4.2550	6.7329	4.3891	8.1967	7.7366	2.6129	6.6271	5.0938	4.4141	4.9354	6.0928	3.2635	5.1836	5.3978	4.5218
	S	121.141	118.988	131.265	75.612	125.143	146.650	105.661	75.359	77.386	103.335	91.091	116.579	103.122	76.546	98.764
12	T	4.2435	6.9424	4.6202	8.0480	7.7380	2.6381	6.6829	5.1216	4.3863	4.8767	6.0628	3.2649	4.9081	7.3525	4.5864
	S	121.469	115.398	124.699	77.010	125.120	145.249	104.779	74.950	77.877	104.579	91.542	116.529	108.911	56.196	97.373
13	T	4.2790	6.7506	4.4304	7.9799	7.7590	2.6319	6.5559	5.1161	4.3103	4.9190	6.1614	3.2974	4.9657	5.3988	4.5295
	S	120.461	118.676	130.042	77.667	124.782	145.591	106.809	75.031	79.250	103.680	90.077	115.380	107.648	76.532	98.596
14	T	4.2547	6.7329	4.4181	8.0211	7.7641	2.6418	6.5842	5.0533	4.3225	4.8986	6.0825	3.2814	4.8998	5.5309	4.4327
	S	121.149	118.988	130.404	77.268	124.700	145.046	106.350	75.963	79.026	104.111	91.245	115.943	109.095	74.704	100.749
15	T	4.2344	6.6354	4.3933	8.1246	7.7372	2.6327	6.6624	5.1484	4.4199	4.9241	6.0922	3.2798	4.8973	5.3934	4.5334
	S	121.730	120.737	131.140	76.283	125.133	145.547	105.101	74.560	77.285	103.572	91.100	115.999	109.151	76.609	98.511
16	T	4.2634	6.6651	4.4069	7.9517	7.7389	2.6346	6.6242	5.0303	4.3235	4.8692	6.0237	3.2557	4.9265	5.4111	4.6944
	S	120.902	120.199	130.735	77.942	125.106	145.442	105.707	76.310	79.008	104.740	92.136	116.858	108.504	76.358	95.133
17	T	4.3076	6.6849	4.4025	7.9157	7.7477	2.6380	6.5913	5.0392	4.2290	4.8655	6.0557	3.2695	4.8884	5.3391	4.4931
	S	119.662	119.843	130.866	78.297	124.964	145.255	106.235	76.176	80.773	104.820	91.649	116.365	109.350	77.388	99.395
18	T	4.2458	6.6414	4.4003	7.9844	7.7681	2.6381	6.5427	5.0115	4.2161	4.8577	6.0576	3.2652	4.8162	5.3732	4.4390
	S	121.403	120.628	130.931	77.623	124.636	145.249	107.024	76.597	81.021	104.988	91.620	116.518	110.989	76.897	100.606
19	T	4.2222					9.2692									
	S	122.082					41.339									

Event: Cooper Tires Indy Pro 2000 GP of Mid-Ohio

Round 10 / 11

Track: Mid-Ohio Sports Car Course

2.258 mile(s)



Report: Section Data Report

Indy Pro 2000 Championship

Session: Race 1

July 27, 2019

Section Data for Car 6 - de la Vara, Moises

Lap	T/S Lap	PO to SF
1	T 110.2599	113.1260
	S 73.724	67.304
2	T 84.3033	
	S 96.423	
3	T 87.8735	
	S 92.506	
4	T 152.5978	
	S 53.269	
5	T 151.9832	
	S 53.485	
6	T 140.5861	
	S 57.821	
7	T 83.8343	
	S 96.963	
8	T 80.7067	
	S 100.720	
9	T 79.6621	
	S 102.041	
10	T 79.4417	
	S 102.324	
11	T 79.4531	
	S 102.309	
12	T 81.4724	
	S 99.774	
13	T 79.0849	
	S 102.786	
14	T 78.9186	
	S 103.002	
15	T 79.1085	
	S 102.755	
16	T 78.8192	
	S 103.132	
17	T 78.4672	
	S 103.595	
18	T 78.2573	
	S 103.873	
19	T	
	S	

Event: Cooper Tires Indy Pro 2000 GP of Mid-Ohio

Round 10 / 11

Track: Mid-Ohio Sports Car Course

2.258 mile(s)



Report: Section Data Report

Indy Pro 2000 Championship

Session: Race 1

July 27, 2019

Section Data for Car 68 - Frost, Danial (R)

Lap	T/SF to I1	I1 to I2A	I2A to I2	I2 to I3A	I3A to I3	I3 to I4	I4 to I5A	I5A to I5B	I5B to I5	I5 to I6A	I6A to I6	I6 to I7A	I7A to I7	I7 to I8	I8 to SF	
1	T	5.9830	8.7288	6.9973	9.5355	13.9882	4.0003	7.6022	5.2105	4.3788	4.9678	6.1996	6.6226	11.4174	7.0720	7.5991
	S	86.153	91.781	82.337	64.996	69.214	95.788	92.109	73.671	78.010	102.661	89.522	57.448	46.818	58.425	58.769
2	T	5.1689	7.4480	4.7939	8.6065	7.7251	2.5679	6.8650	5.2077	4.6496	5.5515	6.5472	3.2897	5.1364	5.4892	4.5229
	S	99.722	107.564	120.181	72.012	125.329	149.220	102.000	73.711	73.467	91.867	84.769	115.650	104.070	75.272	98.740
3	T	4.2247	6.9605	4.4350	8.1637	7.5913	2.9727	343.2343								
	S	122.010	115.098	129.907	75.918	127.538	128.900	2.040								

**Event:** Cooper Tires Indy Pro 2000 GP of Mid-Ohio

**Round 10 / 11**

**Track:** Mid-Ohio Sports Car Course

**2.258 mile(s)**

**Report:** Section Data Report

**Indy Pro 2000 Championship**

**Session:** Race 1

**July 27, 2019**



**Section Data for Car 68 - Frost, Danial (R)**

Lap	T/SLap	PO to SF
1	T	110.3031
	S	73.695
2	T	83.5695
	S	97.270
3	T	
	S	

Event: Cooper Tires Indy Pro 2000 GP of Mid-Ohio

Round 10 / 11

Track: Mid-Ohio Sports Car Course

2.258 mile(s)



Report: Section Data Report

Indy Pro 2000 Championship

Session: Race 1

July 27, 2019

Section Data for Car 8 - Thompson, Parker

Lap	T/SF to I1	I1 to I2A	I2A to I2	I2 to I3A	I3A to I3	I3 to I4	I4 to I5A	I5A to I5B	I5B to I5	I5 to I6A	I6A to I6	I6 to I7A	I7A to I7	I7 to I8	I8 to SF	
1	T	5.3455	8.1541	6.6683	9.9104	9.4084	3.6033	8.3652	5.3200	5.1083	5.6878	8.8216	6.5990	11.8285	7.8207	7.7003
	S	96.428	98.250	86.399	62.538	102.906	106.342	83.707	72.155	66.870	89.666	62.914	57.653	45.191	52.832	57.997
2	T	5.1038	7.3471	4.4577	8.4782	7.7369	2.5788	6.9587	5.4390	4.9091	5.6749	6.7916	3.3288	5.4608	5.5148	4.5885
	S	100.994	109.041	129.245	73.102	125.138	148.589	100.626	70.576	69.583	89.869	81.719	114.292	97.888	74.922	97.328
3	T	4.3259	7.0980	4.5041	10.2121	17.3977	7.0091	13.2280	6.4660	6.2043	9.1297	10.1348	7.2078	10.1385		
	S	119.155	112.868	127.914	60.690	55.650	54.669	52.935	59.366	55.057	55.862	54.762	52.784	52.724		

**Event:** Cooper Tires Indy Pro 2000 GP of Mid-Ohio

**Round 10 / 11**

**Track:** Mid-Ohio Sports Car Course

**2.258 mile(s)**



**Report:** Section Data Report

**Indy Pro 2000 Championship**

**Session:** Race 1

**July 27, 2019**

**Section Data for Car 8 - Thompson, Parker**

Lap	T/SLap	PO to SF	SF to PI
1	T	110.3414	136.5228
	S	73.670	55.770
2	T	84.3687	
	S	96.349	
3	T	130.2071	121.0416
	S	62.430	63.472



Event: Cooper Tires Indy Pro 2000 GP of Mid-Ohio

Round 10 / 11

Track: Mid-Ohio Sports Car Course

2.258 mile(s)



Report: Section Data Report

Indy Pro 2000 Championship

Session: Race 1

July 27, 2019

Section Data for Car 83 - Finelli, Charles

Lap	T/SF to I1	I1 to I2A	I2A to I2	I2 to I3A	I3A to I3	I3 to I4	I4 to I5A	I5A to I5B	I5B to I5	I5 to I6A	I6A to I6	I6 to I7A	I7A to I7	I7 to I8	I8 to SF	
1	T	6.6568	9.9984	7.2456	9.4873	12.8843	5.6028	9.0337	5.7487	4.9984	5.7437	7.0024	3.4670	6.8803	6.8680	6.6201
	S	77.433	80.126	79.515	65.327	75.144	68.391	77.513	66.774	68.340	88.793	79.259	109.736	77.692	60.160	67.460
2	T	5.1245	8.0046	4.8524	8.8551	7.8989	2.6223	7.4239	5.6413	4.6441	5.6377	6.6954	3.4031	5.6344	5.7968	4.7407
	S	100.586	100.084	118.732	69.990	122.572	146.124	94.321	68.045	73.554	90.462	82.893	111.796	94.872	71.278	94.204
3	T	4.4051	7.1918	4.6788	8.6257	7.9053	2.6635	7.9633	5.9457	5.3032	6.7430	7.5120	3.5932	6.1155	6.1473	5.5243
	S	117.013	111.396	123.138	71.852	122.472	143.864	87.932	64.562	64.412	75.634	73.882	105.882	87.408	67.214	80.841
4	T	6.3617	9.6421	11.2892	13.8916	17.5888	6.2898	15.8778	6.9345	6.4020	9.0583	10.8318	7.1250	11.5334	8.8413	10.5006
	S	81.025	83.087	51.034	44.615	55.045	60.921	44.101	55.356	53.357	56.302	51.238	53.397	46.348	46.733	42.530
5	T	9.5813	12.3993	11.5077	10.9459	17.9174	8.4607	17.8046	7.8090	5.8365	7.2277	9.7062	6.2978	9.7477	8.5421	7.1680
	S	53.798	64.611	50.065	56.621	54.036	45.290	39.328	49.157	58.527	70.562	57.180	60.411	54.838	48.370	62.303
6	T	11.1203	13.4592	11.8251	11.2146	15.3654	5.8769	14.0184	6.4735	5.5464	7.7141	8.8374	6.4982	8.9045	7.3194	4.8823
	S	46.353	59.523	48.721	55.265	63.011	65.201	49.951	59.298	61.588	66.113	62.801	58.548	60.031	56.450	91.471
7	T	4.4940	7.6492	4.8302	8.7222	7.8977	2.6405	7.1890	5.5523	4.6478	5.5097	6.7835	3.4505	5.4385	5.7334	4.6868
	S	114.698	104.735	119.278	71.057	122.590	145.117	97.403	69.136	73.495	92.564	81.816	110.261	98.289	72.066	95.287
8	T	4.3790	7.5695	4.8169	8.6517	7.8932	2.6509	6.9329	11.5825	5.0178	5.5966	6.6311	3.3713	5.5133	5.6430	4.6521
	S	117.711	105.837	119.607	71.636	122.660	144.548	101.001	33.142	68.076	91.127	83.697	112.851	96.956	73.220	95.998
9	T	4.3645	7.0922	4.5821	8.3676	7.8196	2.6480	6.8658	5.4030	4.3662	5.2829	6.5064	3.3378	5.2754	5.5717	4.6675
	S	118.102	112.960	125.736	74.068	123.815	144.706	101.988	71.046	78.235	96.538	85.301	113.984	101.328	74.157	95.681
10	T	4.3375	7.0667	4.6088	8.4899	7.8993	2.6744	6.8845	5.5433	4.3091	5.2251	6.5637	3.3750	5.3864	5.7129	4.6746
	S	118.837	113.368	125.008	73.001	122.566	143.278	101.711	69.248	79.272	97.606	84.556	112.727	99.240	72.324	95.536
11	T	4.3699	7.2682	4.6305	8.4040	7.8222	2.6686	7.0508	5.6921	4.4145	5.2252	6.4778	3.2983	5.3563	5.6538	4.7078
	S	117.956	110.225	124.422	73.747	123.774	143.589	99.312	67.438	77.379	97.604	85.677	115.349	99.798	73.080	94.862
12	T	4.3810	7.1724	4.5612	8.5184	7.7971	2.6623	6.9292	5.3361	4.4292	5.2680	6.5291	3.3595	5.4288	5.6704	4.7356
	S	117.657	111.697	126.312	72.757	124.172	143.929	101.055	71.937	77.122	96.811	85.004	113.247	98.465	72.866	94.305
13	T	4.3484	6.9745	4.6653	8.3439	7.8471	2.6646	7.0440	5.3406	4.3725	5.0869	6.4231	3.3824	5.3153	5.5035	4.6521
	S	118.539	114.866	123.494	74.279	123.381	143.805	99.408	71.877	78.123	100.258	86.407	112.481	100.567	75.076	95.998
14	T	4.3687	7.1214	4.5366	8.3768	7.8542	2.6737	7.0134	5.4639	4.3816	5.1384	6.3945	3.3532	5.4114	5.3172	5.0318
	S	117.988	112.497	126.997	73.987	123.269	143.315	99.841	70.255	77.960	99.253	86.793	113.460	98.781	77.707	88.754
15	T	4.4310	7.0961	4.5863	8.4592	7.8540	2.6630	6.9648	5.5446	4.3650	5.3228	6.4421	3.3265	5.3946	5.5085	4.5926
	S	116.329	112.898	125.621	73.266	123.272	143.891	100.538	69.232	78.257	95.814	86.152	114.371	99.089	75.008	97.241
16	T	4.3519	7.1426	4.5351	8.6107	7.8749	2.6817	7.1476	5.3438	4.3826	5.1349	6.3779	3.3074	5.1951	5.5840	4.5771
	S	118.444	112.163	127.039	71.977	122.945	142.888	97.967	71.833	77.943	99.320	87.019	115.031	102.894	73.994	97.571
17	T	4.2989	7.1484	4.6412	8.3226	7.8190	2.6624	6.8943	5.4675	4.3701	5.1577	6.3504	3.2992	5.2285	5.4776	4.5510
	S	119.904	112.072	124.135	74.469	123.824	143.923	101.566	70.208	78.165	98.881	87.396	115.317	102.237	75.431	98.130
18	T	4.2887	7.0670	4.6166	8.2757	7.8039	2.6656	6.9069	5.2963	4.5281	5.1364	6.3783	3.3301	5.2574	5.6230	4.6020
	S	120.189	113.363	124.797	74.891	124.064	143.751	101.381	72.478	75.438	99.291	87.014	114.247	101.675	73.481	97.043
19	T	4.3469	7.0763	4.5533	8.4047	7.8534	2.6651	6.9890	5.4237	4.4302	5.0648	6.3482	3.3195	5.2588	5.7359	4.6232
	S	118.580	113.214	126.532	73.741	123.282	143.778	100.190	70.775	77.105	100.695	87.426	114.612	101.648	72.034	96.598

Event: Cooper Tires Indy Pro 2000 GP of Mid-Ohio

Round 10 / 11

Track: Mid-Ohio Sports Car Course

2.258 mile(s)



Report: Section Data Report

Indy Pro 2000 Championship

Session: Race 1

July 27, 2019

Section Data for Car 83 - Finelli, Charles

Lap	T/S Lap	PO to SF
1	T	108.2375
	S	110.4535
2	T	75.102
	S	68.933
3	T	86.9752
	S	93.461
4	T	90.3177
	S	90.002
5	T	152.1679
	S	53.420
6	T	150.9519
	S	53.850
7	T	139.0557
	S	58.457
8	T	85.2253
	S	95.380
9	T	90.9018
	S	89.424
10	T	82.1507
	S	98.950
11	T	82.7512
	S	98.232
12	T	83.0400
	S	97.890
13	T	82.7783
	S	98.200
14	T	81.9642
	S	99.175
15	T	82.4368
	S	98.606
16	T	82.5511
	S	98.470
17	T	82.2473
	S	98.834
18	T	81.6888
	S	99.509
19	T	81.7760
	S	99.403
20	T	82.0930
	S	99.019

Event: Cooper Tires Indy Pro 2000 GP of Mid-Ohio

Round 10 / 11

Track: Mid-Ohio Sports Car Course

2.258 mile(s)



Report: Section Data Report

Indy Pro 2000 Championship

Session: Race 1

July 27, 2019

Section Data for Car 83 - Finelli, Charles

Lap	T/SF to I1	I1 to I2A	I2A to I2	I2 to I3A	I3A to I3	I3 to I4	I4 to I5A	I5A to I5B	I5B to I5	I5 to I6A	I6A to I6	I6 to I7A	I7A to I7	I7 to I8	I8 to SF	
20	T	4.3119	7.1413	4.6571	8.6483	8.1642	3.1296	10.6348	5.5906	4.9154	5.4041	6.5201	3.3670	5.7069	5.8485	4.7603
	S	119.542	112.184	123.711	71.664	118.589	122.438	65.843	68.662	69.494	94.373	85.121	112.995	93.667	70.647	93.816
21	T	4.5834	7.5545	4.7390	8.4939	7.8288	2.6658	8.7262	5.3524	4.8772	5.3502	6.5539	3.3859	5.5945	5.7468	4.6831
	S	112.461	106.048	121.573	72.967	123.669	143.740	80.244	71.718	70.038	95.324	84.682	112.364	95.548	71.898	95.362
22	T	4.4109	7.2991	4.6317	8.5301	7.8324	2.6581	7.1451	5.3000	4.6093	5.3141	6.3682	3.3295	5.4012	5.6803	4.7389
	S	116.859	109.758	124.390	72.657	123.612	144.156	98.001	72.427	74.109	95.971	87.152	114.268	98.968	72.739	94.239
23	T	4.4166	7.3275	4.5941	8.3361	7.8111	2.6478	7.5418	5.4105	4.8668	5.3840	6.4706	3.3433	5.4888	5.5948	4.6533
	S	116.708	109.333	125.408	74.348	123.949	144.717	92.846	70.948	70.188	94.725	85.773	113.796	97.388	73.851	95.973
24	T	4.3817	7.4322	4.6714	8.8048	7.8494	2.6421	6.9628	5.4306	4.4212	5.1627	6.4112	3.3667	5.3557	5.7887	4.6388
	S	117.638	107.793	123.333	70.390	123.345	145.029	100.567	70.685	77.262	98.786	86.567	113.005	99.809	71.377	96.273
25	T	4.3673	7.1378	4.5843	8.2691	7.8138	2.6578	7.0547	5.4967	4.5511	5.1258	6.7827	3.4625	6.1393	6.2414	5.0637
	S	118.026	112.239	125.676	74.950	123.907	144.173	99.257	69.835	75.057	99.497	81.826	109.879	87.069	66.200	88.195

**Event:** Cooper Tires Indy Pro 2000 GP of Mid-Ohio

**Round 10 / 11**

**Track:** Mid-Ohio Sports Car Course

**2.258 mile(s)**



**Report:** Section Data Report

**Indy Pro 2000 Championship**

**Session:** Race 1

**July 27, 2019**

**Section Data for Car 83 - Finelli, Charles**

Lap	T/SLap	PO to SF
20	T	88.8001
	S	91.540
21	T	86.1356
	S	94.372
22	T	83.2489
	S	97.645
23	T	83.8871
	S	96.902
24	T	83.3200
	S	97.561
25	T	84.7480
	S	95.917

Event: Cooper Tires Indy Pro 2000 GP of Mid-Ohio

Round 10 / 11

Track: Mid-Ohio Sports Car Course

2.258 mile(s)



Report: Section Data Report

Indy Pro 2000 Championship

Session: Race 1

July 27, 2019

Section Data for Car 90 - Lastochkin, Nikita

Lap	T/SF to I1	I1 to I2A	I2A to I2	I2 to I3A	I3A to I3	I3 to I4	I4 to I5A	I5A to I5B	I5B to I5	I5 to I6A	I6A to I6	I6 to I7A	I7A to I7	I7 to I8	I8 to SF	
1	T	6.3661	9.2744	7.2742	9.5988	13.7156	4.7741	8.1275	5.3612	4.5435	5.1301	6.3585	4.2828	11.1548	7.1438	7.2241
	S	80.969	86.381	79.203	64.568	70.590	80.263	86.155	71.600	75.182	99.413	87.285	88.833	47.921	57.838	61.820
2	T	5.0508	7.7549	4.5750	8.8263	7.7461	2.5382	7.3277	5.4523	4.8299	5.3669	6.6507	3.2999	5.3076	5.6330	4.5866
	S	102.054	103.307	125.931	70.219	124.990	150.966	95.559	70.404	70.724	95.027	83.450	115.293	100.713	73.350	97.369
3	T	4.2772	7.0510	4.4582	8.4144	7.8899	2.6207	7.5672	5.4204	4.6722	5.3554	6.5092	3.4805	6.0113	6.4866	7.4283
	S	120.512	113.620	129.231	73.656	122.712	146.214	92.535	70.818	73.111	95.231	85.264	109.310	88.923	63.698	60.120
4	T	7.5386	9.7846	11.8308	14.2789	17.0516	6.4259	15.1718	7.0557	7.0010	9.3617	11.0922	7.5272	10.9519	8.3866	9.5206
	S	68.375	81.877	48.698	43.405	56.780	59.631	46.153	54.405	48.792	54.477	50.035	50.544	48.808	49.267	46.908
5	T	9.3807	13.2482	11.9215	10.5467	18.5154	8.2131	15.7005	6.6824	5.8491	9.1428	10.3478	6.5902	10.9121	7.3123	7.5977
	S	54.948	60.471	48.328	58.765	52.291	46.655	44.599	57.444	58.401	55.782	53.635	57.730	48.986	56.505	58.780
6	T	11.6430	12.9376	10.9182	11.6442	15.2596	6.4732	13.4358	6.9235	5.2991	9.2126	9.0224	6.3591	9.6023	6.9369	4.5469
	S	44.272	61.923	52.768	53.226	63.447	59.195	52.117	55.444	64.462	55.359	61.514	59.828	55.668	59.563	98.219
7	T	4.2844	7.0882	4.5139	8.3117	7.7723	2.6210	7.0200	5.4179	4.4117	5.1741	6.4222	3.2926	5.2716	5.4873	4.5995
	S	120.310	113.024	127.636	74.566	124.568	146.197	99.747	70.851	77.428	98.568	86.419	115.548	101.401	75.298	97.096
8	T	4.3430	7.0979	4.5440	8.1757	7.7565	2.6250	6.8529	5.1748	4.4995	5.0992	6.1696	3.2505	5.1135	5.5141	4.4905
	S	118.686	112.869	126.791	75.807	124.822	145.974	102.180	74.179	75.918	100.016	89.957	117.045	104.536	74.932	99.452
9	T	4.3091	7.0396	4.5182	8.1046	7.7612	2.6331	6.7441	5.1582	4.3253	5.0758	6.1834	3.2589	5.0171	5.4183	4.5211
	S	119.620	113.804	127.515	76.472	124.746	145.525	103.828	74.418	78.975	100.477	89.756	116.743	106.545	76.257	98.779
10	T	4.2686	6.9114	4.4976	8.0690	7.7573	2.6267	6.7723	5.1165	4.3639	5.0680	6.1751	3.2700	5.0279	5.3356	4.5344
	S	120.755	115.915	128.099	76.809	124.809	145.880	103.396	75.025	78.277	100.631	89.877	116.347	106.316	77.439	98.490
11	T	4.2588	6.8559	4.4647	8.0109	7.7141	2.6279	6.6739	5.1631	4.2888	4.9194	6.0298	3.2377	4.9025	5.3125	4.5391
	S	121.033	116.854	129.043	77.366	125.508	145.813	104.920	74.348	79.647	103.671	92.043	117.508	109.035	77.775	98.388
12	T	4.2531	6.7476	4.4413	7.9619	7.7158	2.6369	6.6619	5.0983	4.2187	4.8857	6.1034	3.2834	4.9029	5.3012	4.4681
	S	121.195	118.729	129.722	77.842	125.480	145.315	105.109	75.292	80.971	104.386	90.933	115.872	109.026	77.941	99.951
13	T	4.2383	6.8695	4.4857	7.9842	7.7142	2.6374	6.6773	5.0446	4.2268	4.9434	6.1589	3.2634	4.9215	5.3382	4.5111
	S	121.618	116.622	128.438	77.625	125.506	145.288	104.867	76.094	80.815	103.168	90.113	116.582	108.614	77.401	98.998
14	T	4.2460	6.8588	4.4585	7.9248	7.7154	2.6350	6.6321	5.0875	4.2129	4.9098	6.0235	3.2140	4.8803	5.3210	4.4814
	S	121.398	116.804	129.222	78.207	125.487	145.420	105.582	75.452	81.082	103.874	92.139	118.374	109.531	77.651	99.654
15	T	4.2340	6.7716	4.4206	7.8617	7.6913	2.6271	6.6301	5.0403	4.2098	4.8674	6.0048	3.2290	4.8803	5.3033	4.5129
	S	121.742	118.308	130.330	78.834	125.880	145.857	105.613	76.159	81.142	104.779	92.426	117.824	109.531	77.910	98.959
16	T	4.2404	6.7180	4.4265	7.9132	7.6834	2.6222	6.6174	5.0986	4.2371	4.8623	5.9841	3.2169	4.8835	5.3202	4.4814
	S	121.558	119.252	130.156	78.321	126.010	146.130	105.816	75.288	80.619	104.889	92.746	118.267	109.459	77.663	99.654
17	T	4.2132	6.7569	4.4268	7.8718	7.6879	2.6219	6.5987	5.0214	4.1839	4.8699	6.0210	3.2167	4.8582	5.3371	4.4464
	S	122.343	118.566	130.147	78.733	125.936	146.147	106.116	76.446	81.644	104.725	92.177	118.275	110.030	77.417	100.439
18	T	4.2040	6.7466	4.4273	7.8450	7.7178	2.6288	6.6338	5.0388	4.1558	4.8528	6.1081	3.2582	4.8860	5.2827	4.4849
	S	122.611	118.747	130.133	79.002	125.448	145.763	105.554	76.182	82.196	105.094	90.863	116.768	109.403	78.214	99.577
19	T	4.2159	6.7212	4.3990	7.7824	7.6630	2.6347	6.5256	5.0151	4.1417	4.8917	6.0068	3.2222	4.8019	5.2869	4.3907
	S	122.264	119.195	130.970	79.638	126.345	145.437	107.305	76.542	82.476	104.258	92.395	118.073	111.320	78.152	101.713

Event: Cooper Tires Indy Pro 2000 GP of Mid-Ohio

Round 10 / 11

Track: Mid-Ohio Sports Car Course

2.258 mile(s)



Report: Section Data Report

Indy Pro 2000 Championship

Session: Race 1

July 27, 2019

Section Data for Car 90 - Lastochkin, Nikita

Lap	T/SLap	PO to SF
1	T 110.3295	113.6764
	S 73.677	66.978
2	T 84.9459	
	S 95.694	
3	T 87.6425	
	S 92.750	
4	T 152.9791	
	S 53.137	
5	T 151.9605	
	S 53.493	
6	T 140.2144	
	S 57.974	
7	T 81.6884	
	S 99.510	
8	T 80.7067	
	S 100.720	
9	T 80.0680	
	S 101.524	
10	T 79.7943	
	S 101.872	
11	T 78.9991	
	S 102.897	
12	T 78.6802	
	S 103.314	
13	T 79.0145	
	S 102.877	
14	T 78.6010	
	S 103.419	
15	T 78.2842	
	S 103.837	
16	T 78.3052	
	S 103.809	
17	T 78.1318	
	S 104.040	
18	T 78.2706	
	S 103.855	
19	T 77.6988	
	S 104.619	

Event: Cooper Tires Indy Pro 2000 GP of Mid-Ohio

Round 10 / 11

Track: Mid-Ohio Sports Car Course

2.258 mile(s)



Report: Section Data Report

Indy Pro 2000 Championship

Session: Race 1

July 27, 2019

Section Data for Car 90 - Lastochkin, Nikita

Lap	T/SF to I1	I1 to I2A	I2A to I2	I2 to I3A	I3A to I3	I3 to I4	I4 to I5A	I5A to I5B	I5B to I5	I5 to I6A	I6A to I6	I6 to I7A	I7A to I7	I7 to I8	I8 to SF	
20	T	4.1938	6.6459	4.4032	7.8394	7.6519	2.6163	6.6946	5.0393	4.2133	4.8417	6.0154	3.2448	4.8916	5.4512	4.5913
	S	122.909	120.546	130.845	79.059	126.528	146.459	104.596	76.174	81.074	105.335	92.263	117.251	109.278	75.796	97.269
21	T	4.8881	7.4434	4.7692	8.1106	8.0830	3.6657	9.0563	5.2721	4.4644	5.4787	6.2796	3.4182	5.6234	5.4752	4.5857
	S	105.451	107.630	120.804	76.415	119.780	104.532	77.319	72.810	76.514	93.088	88.381	111.303	95.057	75.464	97.388
22	T	5.1818	11.2648	12.1082	13.3016	18.1614	5.7299	12.9079	7.1593	6.1208	9.4497	9.3998	6.4919	10.2573	7.0908	4.5887
	S	99.474	71.119	47.582	46.594	53.310	66.874	54.248	53.617	55.808	53.970	59.044	58.604	52.114	58.270	97.324
23	T	4.2827	7.0846	4.5280	8.2343	7.6523	2.5838	6.7683	5.8023	4.6085	5.1511	6.3086	3.2372	5.2511	5.4765	4.5041
	S	120.357	113.081	127.239	75.267	126.522	148.302	103.457	66.157	74.122	99.008	87.975	117.526	101.797	75.446	99.152
24	T	4.2711	6.9868	4.4160	8.0234	7.7075	2.6082	6.7037	5.1431	4.2602	5.0214	6.2201	3.2419	4.9772	5.3137	4.4467
	S	120.684	114.664	130.466	77.246	125.616	146.914	104.454	74.637	80.182	101.565	89.227	117.355	107.399	77.758	100.432
25	T	4.2295	6.8074	4.4149	8.0494	7.6971	2.6027	6.7141	5.1908	4.2527	4.9268	6.0589	3.2298	5.2566	5.3166	4.5075
	S	121.871	117.686	130.498	76.996	125.785	147.225	104.292	73.951	80.323	103.515	91.601	117.795	101.690	77.715	99.077
26	T	4.4366	8.3192	8.6895												
	S	116.182	96.300	66.303												

Event: Cooper Tires Indy Pro 2000 GP of Mid-Ohio

Round 10 / 11

Track: Mid-Ohio Sports Car Course

2.258 mile(s)



Report: Section Data Report

Indy Pro 2000 Championship

Session: Race 1

July 27, 2019

Section Data for Car 90 - Lastochkin, Nikita

Lap	T/SLap	PO to SF
20	T	78.3337
	S	103.771
21	T	86.6136
	S	93.851
22	T	139.2139
	S	58.391
23	T	81.4734
	S	99.772
24	T	79.3410
	S	102.454
25	T	79.2548
	S	102.565
26	T	
	S	



Event: Cooper Tires Indy Pro 2000 GP of Mid-Ohio

Round 10 / 11

Track: Mid-Ohio Sports Car Course

2.258 mile(s)



Report: Section Data Report

Indy Pro 2000 Championship

Session: Race 1

July 27, 2019

Section Data for Car 98 - Denes, Phillippe (R)

Lap	T/SF to I1	I1 to I2A	I2A to I2	I2 to I3A	I3A to I3	I3 to I4	I4 to I5A	I5A to I5B	I5B to I5	I5 to I6A	I6A to I6	I6 to I7A	I7A to I7	I7 to I8	I8 to SF	
1	T	5.9033	8.8482	7.2583	9.6743	13.8876	3.9830	8.0585	5.3374	4.4751	5.0535	6.4448	5.3928	11.5569	7.0419	7.4066
	S	87.316	90.542	79.376	64.064	69.716	96.204	86.893	71.920	76.331	100.920	86.116	70.549	46.253	58.675	60.296
2	T	5.0638	7.5352	4.8216	8.8465	7.7955	2.6013	7.0055	5.3316	4.8705	5.4870	6.6132	3.3565	5.5028	5.5750	4.6039
	S	101.792	106.319	119.491	70.059	124.198	147.304	99.954	71.998	70.135	92.947	83.923	113.349	97.141	74.113	97.003
3	T	4.3215	7.0776	4.5623	8.4622	7.8384	2.6254	7.9224	5.5360	4.7664	5.4581	6.6436	3.4894	5.8453	6.8718	7.0375
	S	119.277	113.193	126.282	73.240	123.518	145.952	88.386	69.340	71.666	93.439	83.539	109.032	91.449	60.127	63.459
4	T	7.7858	9.3771	12.0830	14.2977	17.2332	6.4064	15.5912	6.8666	6.8177	9.4257	10.6748	7.6474	11.0854	8.5219	9.0764
	S	66.204	85.435	47.682	43.348	56.181	59.812	44.912	55.903	50.104	54.107	51.992	49.750	48.221	48.485	49.204
5	T	10.1808	12.7685	11.5724	10.9647	18.4368	8.4972	15.5942	7.3296	6.4017	7.4895	10.3942	6.5293	10.8322	7.7752	7.3762
	S	50.630	62.743	49.785	56.524	52.514	45.095	44.903	52.372	53.359	68.095	53.395	58.269	49.348	53.141	60.545
6	T	11.6111	12.9210	10.8974	12.2787	14.6970	6.2317	13.6508	6.9173	6.0957	8.4286	8.8225	6.2334	9.6402	6.9311	4.6056
	S	44.393	62.003	52.869	50.475	65.876	61.489	51.296	55.493	56.038	60.508	62.907	61.035	55.450	59.613	96.967
7	T	4.3532	7.1489	4.5625	8.4629	7.7789	2.5845	7.0805	5.3626	4.6326	5.0926	6.3071	3.2543	5.2236	5.5199	4.5562
	S	118.408	112.064	126.276	73.234	124.463	148.261	98.895	71.582	73.736	100.145	87.996	116.908	102.333	74.853	98.018
8	T	4.3039	7.0372	4.5018	8.2110	7.7008	2.5846	6.8445	5.1708	4.4648	5.0452	6.3133	3.2745	5.1762	5.5274	4.5536
	S	119.765	113.843	127.979	75.481	125.725	148.256	102.305	74.237	76.508	101.086	87.910	116.187	103.270	74.752	98.074
9	T	4.3009	6.9242	4.4501	8.1573	7.6633	2.5800	6.8924	5.0908	4.4162	4.9709	6.1993	3.2474	4.9904	5.4829	4.5225
	S	119.848	115.701	129.466	75.978	126.340	148.520	101.594	75.403	77.350	102.597	89.526	117.157	107.115	75.358	98.749
10	T	4.2538	6.9278	4.4624	8.1070	7.6479	2.5755	6.8028	5.1268	4.3000	4.9895	6.2502	3.2415	5.0665	5.4508	4.4873
	S	121.175	115.641	129.109	76.449	126.594	148.780	102.932	74.874	79.440	102.215	88.797	117.370	105.506	75.802	99.523
11	T	4.2472	6.8493	4.4052	8.1805	7.6766	2.5866	6.6744	5.0677	4.3313	4.9120	6.2553	3.2796	4.9791	5.4028	4.5554
	S	121.363	116.966	130.786	75.762	126.121	148.141	104.912	75.747	78.866	103.827	88.725	116.006	107.358	76.475	98.035
12	T	4.2586	6.7921	4.4028	8.0007	7.6411	2.5901	6.7359	5.0416	4.3011	4.9546	6.0917	3.2243	4.9246	5.3940	4.4517
	S	121.038	117.951	130.857	77.465	126.707	147.941	103.955	76.139	79.419	102.935	91.108	117.996	108.546	76.600	100.319
13	T	4.2488	6.8029	4.4095	7.9634	7.6365	2.5898	6.7974	5.0656	4.2910	4.8886	6.1352	3.2430	4.9236	5.4196	4.4634
	S	121.318	117.764	130.658	77.828	126.783	147.958	103.014	75.779	79.606	104.324	90.462	117.316	108.568	76.238	100.056
14	T	4.2354	6.7522	4.3557	8.0592	7.6924	2.5965	6.7226	5.0379	4.2730	4.8817	6.1057	3.2309	4.8930	5.3873	4.4582
	S	121.702	118.648	132.272	76.903	125.862	147.576	104.160	76.195	79.942	104.472	90.899	117.755	109.247	76.696	100.173
15	T	4.2376	6.7934	4.3690	7.9892	7.6314	2.5878	6.6791	5.0075	4.2956	4.8936	6.1000	3.2308	4.8833	5.3566	4.5090
	S	121.638	117.929	131.869	77.576	126.868	148.072	104.839	76.658	79.521	104.218	90.984	117.759	109.464	77.135	99.044
16	T	4.2496	6.6996	4.3712	7.9680	7.6464	2.5885	6.5930	5.0335	4.2483	4.8933	6.0985	3.2440	4.9271	5.2890	4.4950
	S	121.295	119.580	131.803	77.783	126.619	148.032	106.208	76.262	80.406	104.224	91.006	117.279	108.491	78.121	99.353
17	T	4.2254	6.6970	4.3458	7.9110	7.6504	2.5900	6.5835	5.0021	4.2052	4.8312	6.0775	3.2319	4.8959	5.3521	4.4555
	S	121.990	119.626	132.573	78.343	126.553	147.947	106.361	76.740	81.231	105.564	91.320	117.719	109.182	77.200	100.234
18	T	4.2164	6.7235	4.3638	7.9235	7.6374	2.5858	6.5732	4.9755	4.2376	4.8779	6.1115	3.2285	4.8524	5.3121	4.4862
	S	122.250	119.155	132.026	78.220	126.769	148.187	106.528	77.151	80.610	104.553	90.812	117.843	110.161	77.781	99.548
19	T	4.2437	6.6702	4.3388	7.8854	7.5998	2.5913	6.6533	5.0062	4.1664	4.8696	6.0047	3.2058	4.8919	5.3370	4.4438
	S	121.463	120.107	132.787	78.598	127.396	147.872	105.245	76.678	81.987	104.731	92.428	118.677	109.272	77.418	100.498

Event: Cooper Tires Indy Pro 2000 GP of Mid-Ohio

Round 10 / 11

Track: Mid-Ohio Sports Car Course

2.258 mile(s)



Report: Section Data Report

Indy Pro 2000 Championship

Session: Race 1

July 27, 2019

Section Data for Car 98 - Denes, Phillippe (R)

Lap	T/S Lap	PO to SF
1	T 110.3222	114.5096
	S 73.682	66.491
2	T 85.0099	
	S 95.622	
3	T 88.4579	
	S 91.895	
4	T 152.8903	
	S 53.168	
5	T 152.1425	
	S 53.429	
6	T 139.9621	
	S 58.079	
7	T 81.9203	
	S 99.228	
8	T 80.7096	
	S 100.717	
9	T 79.8886	
	S 101.752	
10	T 79.6898	
	S 102.006	
11	T 79.4030	
	S 102.374	
12	T 78.8049	
	S 103.151	
13	T 78.8783	
	S 103.055	
14	T 78.6817	
	S 103.312	
15	T 78.5639	
	S 103.467	
16	T 78.3450	
	S 103.756	
17	T 78.0545	
	S 104.143	
18	T 78.1053	
	S 104.075	
19	T 77.9079	
	S 104.339	

Event: Cooper Tires Indy Pro 2000 GP of Mid-Ohio

Round 10 / 11

Track: Mid-Ohio Sports Car Course

2.258 mile(s)



Report: Section Data Report

Indy Pro 2000 Championship

Session: Race 1

July 27, 2019

Section Data for Car 98 - Denes, Phillippe (R)

Lap	T/SF to I1	I1 to I2A	I2A to I2	I2 to I3A	I3A to I3	I3 to I4	I4 to I5A	I5A to I5B	I5B to I5	I5 to I6A	I6A to I6	I6 to I7A	I7A to I7	I7 to I8	I8 to SF	
20	T	4.2155	6.6652	4.3741	8.0500	7.6477	2.5943	6.6457	5.0365	4.3549	5.0941	6.0867	3.2411	4.8796	5.4405	4.5628
	S	122.276	120.197	131.715	76.990	126.598	147.701	105.365	76.216	78.438	100.116	91.182	117.384	109.547	75.946	97.877
21	T	4.4010	7.5873	4.7561	8.4109	8.3533	4.0136	9.0206	5.2170	4.4050	4.9699	6.2149	3.2534	5.2749	5.6782	4.5818
	S	117.122	105.589	121.136	73.687	115.904	95.471	77.625	73.579	77.546	102.618	89.302	116.941	101.338	72.766	97.471
22	T	4.6589	12.0283	11.8787	12.7823	18.1147	5.7785	13.3076	6.9424	6.4907	9.0684	9.1624	6.3364	10.2476	6.8580	4.5173
	S	110.639	66.604	48.502	48.487	53.447	66.312	52.619	55.293	52.628	56.239	60.574	60.043	52.163	60.248	98.862
23	T	4.2857	7.1353	4.4953	8.3230	7.6006	2.5441	6.8565	5.6516	4.6748	5.2294	6.6465	3.3314	5.2512	5.5184	4.4915
	S	120.273	112.278	128.164	74.465	127.382	150.616	102.126	67.921	73.071	97.526	83.503	114.203	101.795	74.873	99.430
24	T	4.2561	6.8956	4.4585	8.1640	7.6494	2.5760	6.7376	5.1677	4.3444	4.9516	6.1930	3.2459	5.0187	5.4129	4.4694
	S	121.110	116.181	129.222	75.915	126.570	148.751	103.928	74.281	78.628	102.997	89.617	117.211	106.511	76.333	99.922
25	T	4.2437	6.8280	4.4056	8.0098	7.6347	2.5850	6.6817	5.0986	4.3017	4.9615	6.1789	3.2348	5.0874	5.4803	4.4869
	S	121.463	117.331	130.774	77.377	126.813	148.233	104.798	75.288	79.408	102.791	89.822	117.613	105.072	75.394	99.532
26	T	4.4289	8.1735	9.1528												
	S	116.384	98.016	62.946												

Event: Cooper Tires Indy Pro 2000 GP of Mid-Ohio

Round 10 / 11

Track: Mid-Ohio Sports Car Course

2.258 mile(s)



Report: Section Data Report

Indy Pro 2000 Championship

Session: Race 1

July 27, 2019

Section Data for Car 98 - Denes, Phillippe (R)

Lap	T/SLap	PO to SF
20	T	78.8887
	S	103.041
21	T	86.1379
	S	94.370
22	T	138.1722
	S	58.831
23	T	82.0353
	S	99.089
24	T	79.5408
	S	102.197
25	T	79.2186
	S	102.612
26	T	
	S	

Event: Cooper Tires Indy Pro 2000 GP of Mid-Ohio

Round 10 / 11

Track: Mid-Ohio Sports Car Course

2.258 mile(s)



Report: Section Data Report

Indy Pro 2000 Championship

Session: Race 1


July 27, 2019

Section Data for Car

Report Support Information

Section Legend	
Name	Length
SF to I1	0.143182 miles
I1 to I2A	0.222538 miles
I2A to I2	0.160038 miles
I2 to I3A	0.172159 miles
I3A to I3	0.268939 miles
I3 to I4	0.106439 miles
I4 to I5A	0.194508 miles
I5A to I5B	0.106629 miles
I5B to I5	0.094886 miles
I5 to I6A	0.141667 miles
I6A to I6	0.154167 miles
I6 to I7A	0.105682 miles
I7A to I7	0.148485 miles
I7 to I8	0.114773 miles
I8 to SF	0.124053 miles
I1 to I2	0.382576 miles
I2 to I3	0.441098 miles
I4 to I5	0.396023 miles
I5 to I6	0.295833 miles
I6 to I7	0.254167 miles
Lap	2.258000 miles
PI to PO	0.249432 miles
PO to SF	2.114962 miles

Color Legend	
	Fastest Lap
	Section Under Caution
	Section Under Green
	Section Time Data
	Section Speed Data



**Event:** Cooper Tires Indy Pro 2000 GP of Mid-Ohio

**Round 10 / 11**

**Track:** Mid-Ohio Sports Car Course

**2.258 mile(s)**

**Report:** Section Data Report

**Indy Pro 2000 Championship**

**Session:** Race 1

**July 27, 2019**



**Section Data for Car**

SF to PI	2.134091 miles
PO to I2	0.382576 miles
I7 to PI	0.114773 miles
PO to PI	2.008712 miles